

## Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 17	<b>with Governor</b> EP/M 60 A 31 d	<b>DAI Sheet</b> <b>1.7 a</b>  x dated: Apr. 13th 1962
---	--	---

### A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC)					
1	2	3	4	5	6
Speed <small>r. p. m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r. p. m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9 12 18	0.9-1.5 2.3-2.8 4.6-5.3	0.3		
200	9	x 0.7-1.5			
Adjust delivery of equal quantities within outlined <span style="border: 1px solid black; display: inline-block; width: 20px; height: 10px; vertical-align: middle;"></span> limits					

### B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation <small>mm</small>	Leak-Proof Test <small>Vacuum Drop mm Water Col.</small>		Point of Adjustment Control Rod Travel Limit <small>Vacuum mm Water Col.</small>		Control Rod Travel Test with Governor <small>Vacuum mm Water Col.</small>			Adaptation <small>Vacuum mm Water Col.</small>		
1.0+0.1	500-480	10	300	11.5	-	-	175 410 450 700 830	11.5 11.5 9-11.5 0.6-2.4 0	50 75 100 150	12.5-12.6 12.2-12.5 11.9-12.2 11.5-11.6
For Testing Control Rod Travel (Column 4-11) n = 500 r. p. m.										

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling		
	<small>r. p. m.</small>	<small>Vacuum mm Water Col.</small>	<small>cm<sup>3</sup>/100 strokes</small>	<small>r. p. m.</small>	<small>Vacuum mm Water Col.</small>	<small>cm<sup>3</sup>/100 strokes</small>	<small>r. p. m.</small>	<small>Vacuum mm Water Col.</small>	<small>Control Rod Travel from Full-Load to Idling mm</small>
RS 17	1000 1000	300 180	27.5-28.5 27.5-28.5	500 x 750	50 x 125	29.5-32.5 x 27.5-30.5			

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

## Test Specifications for Injection Pump and Governor

**Injection Pump**  
PES 4 A 50 B 410 RS 60

**with Governor**  
EP/M 60 A 31 d

**DAI Sheet**  
**1.7 b**

x dated: Apr. 13th 1962

### A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC)

1	2	3	4	5	6
Speed r. p. m.	Control Rod Travel mm	Feed Quantity cm <sup>3</sup> /100 strokes	Differential cm <sup>3</sup> /100 strokes	Feed Quantity Drop (between 1000 and 200 r. p. m.) cm <sup>3</sup> /100 strokes	Pre-tension of Spring (Adaptation Valve) mm
1000	9	x 0.9-1.5	0.3		
	12	x 2.3-2.8			
	18	x 4.6-5.3			
200	9	x 0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation mm	Leak-Proof Test Vacuum Drop mm Water Col.	Time Min. sec.	Point of Adjustment Contr. Rod Travel Limit Vacuum mm Water Col.	Control Rod Travel mm	Control with Governor Design	Rod Travel Test Vacuum mm Water Col.	Control Rod Travel mm	Adaptation Vacuum mm Water Col.	Control Rod Travel mm	
1.0±0.1	500-480	10	300	11.5	- -	175 410 450 700 830	11.5 11.5 9 -11.5 0.6- 2.4 0	50 75 100 150	12.5-12.6 12.2-12.5 11.9-12.2 11.5-11.6	

For Testing Control Rod Travel (Column 4-11) n = 500 r. p. m.

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	Control Rod Travel from Full-Load to Idling mm
RS 60	1000 1000	300 180	x 24.5-25.5 x 24.5-25.5	500 x 750	50 x 125	26.5-29.5 x 24.5-27.5			

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

## Injection Pump

PES 4 A 50 B 410 S 17  
or RS 17  
or S 17 z

## with Governor

EP/M 60 A 30

## DAI Sheet

1,7 c

dated: Sept. 25th 1956  
and/or Aug. 1st 1959

### A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)

1	2	3	4	5	6
Speed <small>r.p.m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r.p.m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9  12  18	0.9-1.5  2.3-2.8  4.6-5.3	0.3		
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation <small>mm</small>	Leak-proof Test <small>Vacuum Drop mm Water Col.      Time Min. sec.</small>		Point of Adjustment Control Rod Travel Limit <small>Vacuum Control Rod mm Water Col.      mm</small>		Control Rod Travel Test <small>with Governor Design      Vacuum mm Water Col.      Control Rod Travel mm</small>			Adaptation <small>Vacuum Control Rod mm Water Col.      mm</small>		
—	500-480	10	—	—	—	—	100 200 400 600 800	20 -21 19 -20.5 10.5-13.5 1 - 3.5 0 - 2	—	—

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw <small>Vacuum mm Water Col.      r.p.m.      cm<sup>3</sup>/1000 strokes</small>			Testing of Feed Quantity Characteristics <small>Vacuum mm Water Col.      r.p.m.      cm<sup>3</sup>/1000 strokes</small>			Adjustment of Idling Stop <small>Vacuum Control Rod Travel from Full-Load to Idling mm Water Col.      mm</small>		
S 17 or RS 17	1000		27.5-28.5						
S 17 z	1000		24.5-25.5						

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 17 or RS 50	<b>with Governor</b> EP/MZ 60 A 39 d or A 48 d or A 51 d or A 52 d	<b>DAI Sheet</b> <b>1,7 d</b> dated: Oct. 1st 1952
---	--	--

## A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)					
1	2	3	4	5	6
Speed	Control Rod Travel	Feed Quantity	Differential	Feed Quantity Drop	Pre-tension of Spring
r.p.m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	9	1.3-1.7		0.8	
	12	2.5-2.8	0.3		
	18	4.8-5.3			
200	9	1.0-1.5			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop	Time Min.	Vacuum	Control Rod Travel	with Governor	Vacuum	Control Rod Travel	Vacuum	Control Rod Travel	
	mm	sec.	mm	mm	Design	mm	mm	mm	mm	
1.0+0.1	500-480	10	300	12.0	-	-	* 410 470 600 1800 2800	12.0 8.9-12.0 4.7- 6.2 3.9- 5.8 2.0- 4.3	* 180 150 100 50	12.0 12.0-12.1 12.3-12.6 13.0-13.1

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.      \* point of adjustment      → observe correct sequence

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r.p.m.	Vacuum	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum	Control Rod Travel from Full-Load to Idling
		mm			mm			mm	mm
RS 17 or RS 50	1000 1000	300 180	27.5-28.5 27.5-28.5	500 750	50 125	29.5-32.5 27.5-30.5	0	0	7.8-8.0

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 60 or RS 68	<b>with Governor</b> EP/MZ 60 A 39 d or A 48 d or A 52 d	<b>DAI Sheet</b> <b>1,7 e</b> dated: March 1st 1955
---	---	---

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
<b>Speed</b>	<b>Control Rod Travel</b>	<b>Feed Quantity</b>	<b>Feed Quantity Differential</b>	<b>Feed Quantity Drop</b>	<b>Pre-tension of Spring</b>
r.p.m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	9	0.9-1.5	0.3	0.8	
	12	2.3-2.8			
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Travel of Adaptation</b>	<b>Leak-proof Test</b>		<b>Point of Adjustment Control Rod Travel Limit</b>		<b>Control Rod Travel Test</b>			<b>Adaptation</b>		
	<b>Vacuum Drop</b>	<b>Time Min.</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	<b>with Governor</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	
mm	mm Water Col.	sec.	mm Water Col.	mm	Design	mm Water Col.	mm	mm Water Col.	mm	
1.0+0.1	500-480	10	300	11.5	- -	410	11.5	175	11.5	
						460	8.5-11.5	150	11.5-11.6	
						630	4.0- 4.5	100	11.9-12.2	
						2000	3.1- 4.4	75	12.2-12.5	
						2400	2.4- 3.8	50	12.5-12.6	

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
<b>Injection Pump</b>	<b>Adjustment of Full-Load Stop Screw</b>			<b>Testing of Feed Quantity Characteristics</b>			<b>Adjustment of Idling Stop</b>		
	r.p.m.	<b>Vacuum</b>		r.p.m.	<b>Vacuum</b>		r.p.m.	<b>Vacuum</b>	<b>Control Rod Travel from Full-Load to Idling</b>
		mm Water Col.	cm <sup>3</sup> /1000 strokes		mm Water Col.	cm <sup>3</sup> /1000 strokes		mm Water Col.	mm
RS 60 or RS 68	1000 1000	300 180	24.5-25.5 24.5-25.5	500 750	50 125	26.5-29.5 24.5-27.5			7.2-7.4

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

## Injection Pump

PES 4 A 50 B 410 RS 17  
or RS 50

## with Governor

EP/MZ 60 A 57 d  
or A 58 d

## DAI Sheet

1,7 f

dated: Dec. 15th 1952

### A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)

1	2	3	4	5	6
Speed <small>r.p.m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r.p.m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9	1.3-1.7		0.6	
	12	2.5-2.8	0.3		
	18	4.8-5.8			
200	9	1.0-1.5			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation <small>mm</small>	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop <small>mm Water Col.</small>	Time Min. <small>sec.</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	with Governor Design	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	
1.0+0.1	500-480	10	300	12.5	—	—	470 520 560 2000	8.6-12.5 6.5- 9.5 6.4- 8.3 2.3- 4.1	180 150 100 50	12.5 12.5-12.6 12.8-13.2 13.5-13.6

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r.p.m.	Vacuum <small>mm Water Col.</small>	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum <small>mm Water Col.</small>	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum <small>mm Water Col.</small>	Control Rod Travel from Full-Load to Idling <small>mm</small>
RS 17 or RS 50	1000 1000	300 180	29-30 29-30	500 750	50 125	31-34 29-32	0	0	6.0-6.5

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RR 50z or RS 60 or RS 68	<b>with Governor</b> EP/MZ 60 A 57 d or A 58 d	<b>DAI Sheet</b> <b>1,7 g</b> dated: Dec. 15th 1952
--	--	---

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
Speed	Control Rod Travel	Feed Quantity	Differential	Feed Quantity Drop	Pre-tension of Spring
r.p.m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	9	1.3-1.7		0.6	
	12	2.5-2.8	0.3		
	18	4.8-5.3			
200	9	1.0-1.5			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop	Time Min.	Vacuum	Control Rod Travel	with Governor	Vacuum	Control Rod Travel	Vacuum	Control Rod Travel	
mm	mm Water Col.	sec.	mm Water Col.	mm	Design	mm Water Col.	mm	mm Water Col.	mm	
1.0+0.1	500-480	10	300	12	— —	470 520 560 2000	8.7-12 6.7- 9.5 6.5- 8.3 2.3- 4.1	180 150 100 50	12 12.0-12.1 12.3-12.6 13.0-13.1	

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	Control Rod Travel from Full-Load to Idling mm
RS 50 z RS 60 RS 68	1000 1000	300 180	24.5-25.5 24.5-25.5	500 750	50 125	26.5-29.5 24.5-27.5	0	0	5.1-5.6

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 50 or RS 17	<b>with Governor</b> EP/M 60 A 55 d or A 71 d	<b>DAI Sheet</b> <b>1,7 h</b> dated: Sept. 1st 1953
---	---	---

## A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)					
1	2	3	4	5	6
Speed	Control Rod Travel	Feed Quantity	Feed Quantity Differential	Feed Quantity Drop	Pre-tension of Spring
r.p.m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	9	0.9-1.5		0.8	
	12	2.3-2.8	0.3		
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation mm	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop	Time Min.	Vacuum	Control Rod Travel	with Governor	Vacuum	Control Rod Travel	Vacuum	Control Rod Travel	
	mm Water Col.	sec.	mm Water Col.	mm	Design	mm Water Col.	mm	mm Water Col.	mm	
1.0+0.1	500-480	10	300	12.3	.. A 55 d	410	12.3	50	13.3-13.4	
						470	8.6-12.3	100	12.6-13	
					.. A 71 d	700	0.7- 3.2	150	12.3-12.4	
						410	12.3	50	13.3-13.4	
					450	7.8-12.3	100	12.6-13.0		
					600	0 - 2.7	150	12.3-12.4		

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	Control Rod Travel from Full-Load to Idling mm
RS 17 or RS 50	1000	300	29-30	500 750	50 125	31-34 29-32			

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

## Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 50 z or RS 68	<b>with Governor</b> EP/M 60 A 55 d or A 71 d	<b>DAI Sheet</b> <b>1.7 i</b>  dated: Sep. 1st 1953
---	---	--

### A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC)

1	2	3	4	5	6
Speed <small>r. p. m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r. p. m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9	0.9-1.5		0.8	
	12	2.3-2.8	0.3		
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation <small>mm</small>	Leak-Proof Test Vacuum Drop <small>mm Water Col.</small>		Point of Adjustment Contr. Rod Travel Limit Control Rod Travel <small>mm</small>		Control Rod Travel Test with Governor Design			Control Rod Travel <small>r. p. m.</small>	Adaptation Vacuum <small>mm Water Col.</small>	
1.0±0.1	500-480	10	300	12.3	.. A 55 d	410 470 700	12.3 8.6-12.3 0.7-3.2	50 100 150	13.3-13.4 12.6-13.0 12.3-12.4	
					.. A 71 d	410 450 600	12.3 7.8-12.3 0-2.7	50 100 150	13.3-13.4 12.6-13.0 12.3-12.4	

For Testing Control Rod Travel (Column 4-11) n = 500 r. p. m.

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	<small>r. p. m.</small>	Vacuum <small>mm Water Col.</small>	<small>cm<sup>3</sup>/100 strokes</small>	<small>r. p. m.</small>	Vacuum <small>mm Water Col.</small>	<small>cm<sup>3</sup>/100 strokes</small>	<small>r. p. m.</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel from Full-Load to Idling <small>mm</small>
RS 50 z RS 68	1000	300	24.5-25.5	500 750	50 125	26.5-29.5 24.5-27.5			

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 50, 50 z x 68, 68 z, 68 y x PES 4 A 50 C 410 RS 1010, 1010 z, y, x x 1026	<b>with Governor</b> EP/M 60 A 102 d x A 126 D	<b>DAI Sheet</b> <b>1.7 i 1</b>  x dated: Apr. 13th 1962
---	--	---

## A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC)

1	2	3	4	5	6
Speed	Control Rod Travel	Feed Quantity	Differential	Feed Quantity Drop	Pre-tension of Spring
r. p. m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r. p. m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	9	0.9-1.5	0.2		
	12	2.3-2.8			
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation	Leak-Proof Vacuum Drop	Test Time Min.	Point of Adjustment Control Rod Travel Limit		Adjustment of additional Spring		Control Rod Travel Test		Adaptation	
mm	mm Water Col.	sec.	Vacuum mm Water Col.	Control Rod Travel mm	Vacuum mm Water col.	Control Rod Travel mm	Vacuum mm Water Col.	Control Rod Travel mm	Vacuum mm Water Col.	Control Rod Travel mm
1.0-0.1	500-480	10	300	12.3	—	—	430 500 700	12.3 8.3-11.6 1.5- 4	40 75 125	13.3-13.4 12.9-13.3 12.3-12.7

For Testing Control Rod Travel (Column 4-11) n = 500 r. p. m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /100 strokes	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /100 strokes	r. p. m.	Vacuum mm Water Col.	Control Rod Travel from Full-Load to Idling mm
RS 50 RS 1010	1000	300	29-30	500 750	50 125	31-34 29-32			
RS 50 z RS 68 RS 1010 x	1000	300	24.5-25.5	500 750	50 125	26.5-29.5 24.5-27.5			
RS 68 z RS 1010 z RS 1026	1000	300	28-29	750 500	125 50	28.5-30.5 30.5-32.5			
RS 68 y RS 1010 y	1000	300	26-27	750 500	125 50	26.5-28.5 28.5-30.5			

With full load adjustment (col. 3 and 6) individual measurements 1000 strokes

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 50 68, 68 z	<b>with Governor</b> EP/M 60 A 121 d	<b>DAI Sheet</b> <b>1.7 i 2</b>  dated: Feb. 22nd 1961
---	---	---

## A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC)

1	2	3	4	5	6
Speed r. p. m.	Control Rod Travel mm	Feed Quantity cm <sup>3</sup> /100 strokes	Feed Quantity Differential cm <sup>3</sup> /100 strokes	Feed Quantity Drop (between 1000 and 200 r. p. m.) cm <sup>3</sup> /100 strokes.	Pre-tension of Spring (Adaptation Valve) mm
1000	9	0.9-1.5	0.2		
	12	2.3-2.8			
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation mm	Leak-Proof Test Vacuum Drop mm Water Col.		Point of Adjustment Control Rod Travel Limit Vacuum mm Water Col.		Adjustment of additional Spring Vacuum mm Water Col.		Control Rod Travel Test Control Rod Travel mm		Adaptation Vacuum mm Water Col.	
1.0-0.1	500-480	10	300	12.4	-	-	430 500 550 600	12.4 5-11.5 1.5-7.9 0-4.5	40 75 125	13.3-13.4 12.9-13.3 12.4-12.7

For Testing Control Rod Travel (Column 4-11) n = 500 r. p. m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	Control Rod Travel from Full-Load to Idling mm
RS 50	1000	300	29-30	500	50	32-34			
RS 68	1000	300	23.5-24.5	500	50	25.5-28.5			
RS 68 z	1000	300	28-29	500	50	29.5-32.5			

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

## Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 50 C 410 RS 1010	<b>with Governor</b> EP/M 60 AV 887 A 138 D	<b>DAI Sheet</b> <b>1.7 i 3</b>  dated: Dec. 10th 1962
--	---	---

### A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC)					
1	2	3	4	5	6
Speed <small>r. p. m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r. p. m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9 <div style="border: 1px solid black; display: inline-block; padding: 2px;">12</div> 18	0.9-1.5 <div style="border: 1px solid black; display: inline-block; padding: 2px;">2.3-2.8</div> 4.6-5.3	0.2		
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adap-tation <small>mm</small>	Leak-Proof Test Vacuum Drop <small>mm Water Col.</small>	Time Min. <small>sec.</small>	Point of Adjustment Control Rod Travel Limit <small>Vacuum mm Water Col.</small>	Control Rod Travel <small>mm</small>	Adjustment of additional Spring <small>Vacuum mm Water col.</small>	Control Rod Travel <small>mm</small>	Control Rod Travel <small>mm</small>	Control Rod Travel <small>mm</small>	Adaptation Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>
1.0+0.1	500-480	10	300	12.3	-	-	300 500 570 750	12.3 12.3 8.7-11.8 0-3.7	30 75 125	13.3-13.4 12.9-13.3 12.3-12.6

For Testing Control Rod Travel (Column 4-11) n = 500 r. p. m.

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injec-tion Pump	Adjustment of Full-Load Stop Screw		Testing of Feed Quantity Characteristics			Adjustment of Idling Stop			
	<small>r. p. m.</small>	Vacuum <small>mm Water Col.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r. p. m.</small>	Vacuum <small>mm Water Col.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r. p. m.</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel from Full-Load to Idling <small>mm</small>
RS 50 RS 1010	1000	300	29-30	500 700	50 125	31-34 29-32			

With full load adjustment (col. 3 and 6) individual measurements 1000 strokes

## Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 50 PES 4 A 50 C 410 RS 1010	<b>with Governor</b> EP/RSV 250 – 1625 A 2 AV 6841 EP/RSV 250 – 1625 A 2 B 60	<b>DAI Sheet</b> <b>1.7 i 4</b>  dated: Dec. 10th 1962
---	---	---

### A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-Stroke of 1.7+0.1 mm (from BDC)**

1	2	3	4	5	6
<b>Speed</b>	<b>Control Rod Travel</b>	<b>Feed Quantity</b>	<b>Feed Quantity</b>		<b>Pre-tension of Spring</b>
r. p. m.	mm	cm <sup>3</sup> /100 strokes	<b>Differential</b>	<b>Drop</b>	(Adaptation Valve) mm
			cm <sup>3</sup> /100 strokes	(between 1000 and 200 r. p. m.) cm <sup>3</sup> /100 strokes	
1000	9	0.9–1.5	0.2		
	12	2.3–2.8			
	18	4.6–5.3			
200	9	0.7–1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Upper Rated Speed</b>			<b>Medium Rated Speed</b>			<b>Lower Rated Speed</b>			<b>Adaptation</b>	
<b>Adjusting Lever Range</b>		<b>Control Rod Travel</b>	(not applicable)			<b>Adjusting Lever Range</b>		<b>Control Rod Trave</b>		<b>Control Rod Travel</b>
degrees	r. p. m.	mm	r. p. m.			degrees	r. p. m.	mm	r. p. m.	mm
approx. 68	1625	12	} without additional springs			approx. 24	250	6	1600	0
	1680	7.8					100	19–21		500
	1720	4.8	} with additional springs				250	5.7–6.3	300	1.2–1.8
	1680	7–8.5				250	3–4.5			
	1700	5–7.2				350	0–2.5			
	1750	2.4–4				450	0–1			
	1900	0–1			550					

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8
<b>Injection Pump</b>	<b>Adjustment of Full-Load Quantity at Control Rod Stop</b>		<b>Limit of RPM at the Governor Adjusting Lever</b>	<b>Testing of Feed Quantity Characteristics</b>		<b>Testing of Starting Quantity</b>		<b>Idle run Adjustment by means of the Stop screw</b>
	r. p. m.	cm <sup>3</sup> /1000 strokes	r. p. m.	r. p. m.	cm <sup>3</sup> /1000 strokes	r. p. m.	cm <sup>3</sup> /1000 strokes	
RS 50 RS 1010	1600	31.5–32.5	1630–1650	1000	28.5–30.5	–	–	–

The values in col. 2 and 5 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

**Injection Pump**  
PES 4 A 50 B 410 RS 144

**with Governor**  
EP/MZ 60 A 72 d

**DAI Sheet**  
**1,8 a**

dated: March 1st 1955

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
<b>Speed</b>	<b>Control Rod Travel</b>	<b>Feed Quantity</b>	<b>Feed Quantity</b>		<b>Pre-tension of Spring</b>
r.p.m.	mm	cm <sup>3</sup> /100 strokes	<b>Differential</b>	<b>Drop</b>	(Adaptation Valve) mm
			cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	
1000	9	0.9-1.5		0.8	
	12	2.3-2.8	0.3		
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Travel of Adaptation</b>	<b>Leak-proof Test</b>		<b>Point of Adjustment Control Rod Travel Limit</b>		<b>Control Rod Travel Test</b>			<b>Adaptation</b>		
	<b>Vacuum Drop</b>	<b>Time Min.</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	<b>with Governor</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	
	mm Water Col.	sec.	mm Water Col.	mm	Design	mm Water Col.	mm	mm Water Col.	mm	
1.0+0.1	500-480	10	300	12.5	- -	470 * 490 500 600 1800	12.5 12.5 10 -12.5 6 - 8.3 5.8- 6.8	50 125 200 300	13.5-13.6 12.9-13.1 12.5 12.5	

\* Exactly adjust these values by placing washers WMS 22 S 18 . . . 19 X below the control rod spring

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
<b>Injection Pump</b>	<b>Adjustment of Full-Load Stop Screw</b>			<b>Testing of Feed Quantity Characteristics</b>			<b>Adjustment of Idling Stop</b>		
		<b>Vacuum</b>			<b>Vacuum</b>			<b>Vacuum</b>	<b>Control Rod Travel from Full-Load to Idling</b>
	r.p.m.	mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	mm Water Col.	mm
R 144	1000	300	29-30	500 750	50 125	31-34 29-32	0	0	7.8-8.3

After full-load adjustment, repeat check according to section B, columns 8, 9 and 2, 3!

The values in col.3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

**Injection Pump**  
PES 4 A 50 B 410 RS 144 z

**with Governor**  
EP/MZ 60 A 72 d

**DAI Sheet**  
**1,8b**

dated: March 10th 1958

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
Speed <small>r.p.m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r.p.m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9  12  18	0.9-1.5  2.3-2.8  4.6-5.3	0.3		
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation <small>mm</small>	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop <small>mm Water Col.</small>	Time Min. <small>sec.</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	with Governor Design	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	
1.0+0.1	500-480	10	300	11.3	-	-	470 * 500 600 1800	11.3 9 - 11 5.7- 7.5 4 - 5.2	50 150 200 300	12.3-12.4 11.5-12 11.3 11.3

\* Exactly adjust these values by placing washers WMS 22 S 18 . . . 19 x below the control spring

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	<small>r.p.m.</small>	Vacuum <small>mm Water Col.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r.p.m.</small>	Vacuum <small>mm Water Col.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r.p.m.</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel from Full-Load to Idling <small>mm</small>
RS 144 z	1000	300	24-25	500 750	50 125	26.5-28.5 24.5-26.5	0	0	7.2-7.7

After full-load adjustment check begin of governing action, governing characteristics and check for leaks

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

## Injection Pump

PES 4 A 50 B 410 RS 204

Special Characteristics:

Pump element with upper and lower helix (pitch of each helix: 7.5 mm) and starting groove.

Feed quantity differential is measured at 200 r. p. m. and control rod travel : 6.

with Governor

EP/MZ 60 A 87 d

DAI Sheet

1,8 c

dated: Sept.25th 1956  
and/or Aug. 1st 1959

### A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)

1	2	3	4	5	6
Speed r.p.m.	Control Rod Travel mm	Feed Quantity cm <sup>3</sup> /100 strokes	Feed Quantity Differential cm <sup>3</sup> /100 strokes	Feed Quantity Drop (between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	Pre-tension of Spring (Adaptation Valve) mm
1000	6	0.6-1.0			
	12	2.1-2.5			
	15	3.0-3.8			
200	6	0.3-0.7	0.2		
	21	8.5-9.7			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation mm	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop mm Water Col.	Time Min. sec.	Vacuum mm Water Col.	Control Rod Travel mm	with Governor Design	Vacuum mm Water Col.	Control Rod Travel mm	Vacuum mm Water Col.	Control Rod Travel mm	
1.2±0.1	500-480	10	450	13.0	—	—	* 460 490 600 1800	13.0 10.3-12.5 6 - 8.5 1.6- 2.7	180 220 380	14.1-14.3 13.9-14.2 13.1-13.4

\* Exactly adjust these values by placing washers WMS 22 S 18 . . . 19 x below the control spring

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	Control Rod Travel from Full-Load to Idling mm
RS 204	1500	375	29-30	900 500	175 0	28-30 28-30	0	0	8.5-8.9

After full-load adjustment check again acc to Section B No 8, 9 and 2, 3

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

## Injection Pump

PES 4 A 50 B 41 I RS 50  
or RS 68

## with Governor

RSV 250 - 775 A 1  
or A 9

## DAI Sheet

1,8 d

dated: Nov. 18th 1957

### A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
Speed <small>r.p.m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r.p.m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9 <div style="border: 1px solid black; display: inline-block; width: 20px; height: 10px; margin: 2px;"></div> 12 <div style="border: 1px solid black; display: inline-block; width: 20px; height: 10px; margin: 2px;"></div> 18	0.9-1.5 <div style="border: 1px solid black; display: inline-block; width: 20px; height: 10px; margin: 2px;"></div> 2.3-2.8 <div style="border: 1px solid black; display: inline-block; width: 20px; height: 10px; margin: 2px;"></div> 4.6-5.3	0.3		
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Upper Rated Speed			Medium Rated Speed <small>(not applicable)</small>			Lower Rated Speed			Adaptation	
Adjusting Lever Range <small>degrees</small>	r.p.m.	Control Rod Travel <small>mm</small>				Adjusting Lever Range <small>degrees</small>	r.p.m.	Control Rod Travel <small>mm</small>	r.p.m.	Control Rod Travel <small>mm</small>
approx. 42	775 800 830  800 825 850 950	16 10.2 4  8.5-12 3.5- 7.5 0.5- 4 0	} without additional springs			approx. 15	250 100 250 350 400 550	6  18 -21 5.7- 6.3 1.5- 3.5 0 - 2.5 0	750 550 430 225	0 0 0.2-0.7 2.2-2.8
			} with additional springs							

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8
Injection Pump	Adjustment of Full-load Quantity at Control Rod Stop		Limit of RPM at the Governor Adjusting Lever	Testing of Feed Quantity Characteristics		Testing of Starting Quantity		Idle run Adjustment by means of the STOP screw
	<small>r.p.m.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r.p.m.</small>	<small>r.p.m.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r.p.m.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	
RS 50	750	29-30	780-790					
RS 68	750	24.5-25.5	780-790					

The values in col. 2 and 5 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

**Injection Pump**  
PES 4 A 50 B 410 RS 50

**with Governor**  
EP/RSV 250 - 775 A 4 A 60

**DAI Sheet**  
**1,8 d 1**

dated: June 3rd 1959

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
<b>Speed</b>  r.p.m.	<b>Control Rod Travel</b>  mm	<b>Feed Quantity</b>  cm <sup>3</sup> /100 strokes	<b>Feed Quantity Differential</b>  cm <sup>3</sup> /100 strokes	<b>Feed Quantity Drop</b>  (between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	<b>Pre-tension of Spring</b>  (Adaptation Valve) mm
1000	9	0.9-1.5	0.3		
	12	2.3-2.8			
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Upper Rated Speed</b>			<b>Medium Rated Speed</b> (not applicable)			<b>Lower Rated Speed</b>			<b>Adaptation</b>	
<b>Adjusting Lever Range</b>  degrees	<b>r.p.m.</b>	<b>Control Rod Travel</b>  mm				<b>Adjusting Lever Range</b>  degrees	<b>r.p.m.</b>	<b>Control Rod Travel</b>  mm	<b>r.p.m.</b>	<b>Control Rod Travel</b>  mm
approx. 44	775	16	} without additional springs			approx. 21	250	6	750	0
	815	10					100	13 - 21		
	835	6	} with additional springs			250	5.7- 6.3	300	1.2-1.8	
	820	7.2-10.2				300	4 - 5			
	850	3 - 5	350	1 - 3.5						
	880	1.2- 2.9	450	0 - 1						
	950	0 - 1								

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8
<b>Injection Pump</b>	<b>Adjustment of Full-load Quantity</b> at Control Rod Stop		<b>Limit of RPM at the Governor Adjusting Lever</b>	<b>Testing of Feed Quantity Characteristics</b>		<b>Testing of Starting Quantity</b>		<b>Idle run Adjustment by means of the STOP screw</b>
	r.p.m.	cm <sup>3</sup> /100 strokes	r.p.m.	r.p.m.	cm <sup>3</sup> /1000 strokes	r.p.m.	cm <sup>3</sup> /1000 strokes	
RS 50	750	29-30	780-790					

The values in col. 2 and 5 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 50	<b>with Governor</b> RSV 250 - 1525 A 3 or A 10	<b>DAI Sheet</b> <b>1,8 e</b>  dated: March 10th 1958
---	---	--

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
Speed <small>r.p.m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r.p.m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9	0.9-1.5			
	12	2.3-2.8	0.2		
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11	
Upper Rated Speed			Medium Rated Speed <small>(not applicable)</small>			Lower Rated Speed			Adaptation		
Adjusting Lever Range <small>degrees</small>	r.p.m.	Control Rod Travel <small>mm</small>				Adjusting Lever Range <small>degrees</small>	r.p.m.	Control Rod Travel <small>mm</small>	r.p.m.	Control Rod Travel <small>mm</small>	
approx. 56	1525	12.4	} without additional springs			approx. 13	250	6	1500	0 0 0.3-0.7 2.2-2.8	
	1550	8.8					100	18 -21			
	1580	5	250	5.7- 6.3							
	1525	11 -13	350	4 - 4.8							
	1550	7 -10	500	0 - 2.2							
	1580	3.4- 6.4	620	0							
1620	0 - 3	} with additional springs									
1680	0										

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8
Injection Pump	Adjustment of Full-load Quantity at Control Rod Stop		Limit of RPM at the Governor Adjusting Lever	Testing of Feed Quantity Characteristics		Testing of Starting Quantity		Idle run Adjustment by means of the STOP screw
	<small>r.p.m.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r.p.m.</small>	<small>r.p.m.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r.p.m.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	
RS 50	1500	29-30	1530-1540					

The values in col. 2 and 5 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 50 or RS 68	<b>with Governor</b> RSV 250 – 950 A 1 or A 9	<b>DAI Sheet</b> <b>1,8 f</b> dated: March 10th 1958
---	---	--

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
<b>Speed</b>	<b>Control Rod Travel</b>	<b>Feed Quantity</b>	<b>Feed Quantity</b>		<b>Pre-tension of Spring</b>
r.p.m.	mm	cm <sup>3</sup> /100 strokes	<b>Differential</b>	<b>Drop</b>	(Adaptation Valve) mm
			cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	
1000	9	0.9–1.5	0.2		
	12	2.3–2.8			
	18	4.6–5.3			
200	9	0.7–1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Upper Rated Speed</b>			<b>Medium Rated Speed</b> (not applicable)			<b>Lower Rated Speed</b>			<b>Adaptation</b>	
<b>Adjusting Lever Range</b>		<b>Control Rod Travel</b>				<b>Adjusting Lever Range</b>		<b>Control Rod Travel</b>		<b>Control Rod Travel</b>
degrees	r.p.m.	mm				degrees	r.p.m.	mm	r.p.m.	mm
approx. 52	950	16	} without additional springs			approx. 16	250	6	900	0
	970	9					100	19 –21	500	0
	1020	3	} with additional springs				250	5.7– 6.3	430	0.2–0.8
	975	7 –11				350	1.6– 3.6	225	2.2–2.8	
	1000	3 – 7				400	0 – 2.4			
	1025	0 – 3.8				500	0			
	1100	0								

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8
<b>Injection Pump</b>	<b>Adjustment of Full-load Quantity</b> at Control Rod Stop		<b>Limit of RPM at the Governor Adjusting Lever</b>	<b>Testing of Feed Quantity Characteristics</b>		<b>Testing of Starting Quantity</b>		<b>Idle run Adjustment by means of the STOP screw</b>
	r.p.m.	cm <sup>3</sup> /100 strokes	r.p.m.	r.p.m.	cm <sup>3</sup> /1000 strokes	r.p.m.	cm <sup>3</sup> /1000 strokes	
RS 68	900	24.5–25.5	960–980					
RS 50	900	29–30	960–980					

The values in col. 2 and 5 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

**Injection Pump**  
PES 4 A 50 B 410 RS 204

**with Governor**  
EP/MZ 60 A 89 d

**DAI Sheet**  
**1,8 g**

Special Characteristics:  
Pump element with upper and lower helix (pitch of each helix: 7.5 mm and starting groove.

dated: April 1st 1957

## A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)

1	2	3	4	5	6
Speed	Control Rod Travel	Feed Quantity	Differential	Feed Quantity Drop	Pre-tension of Spring
r.p.m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	6	0.6-1.0			
	12	2.1-2.5	0.2		
	18	3.0-3.8			
200	6	0.3-0.7			
	21	8.5-9.7			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop	Time Min.	Vacuum	Control Rod Travel	with Governor	Vacuum	Control Rod Travel	Vacuum	Control Rod Travel	
mm	mm Water Col.	sec.	mm Water Col.	mm	Design	mm Water Col.	mm	mm Water Col.	mm	
1.2±0.1	500-480	10	580	13.0	— —	* 580 620 700 1800	13.0 10.3-12.5 5.5- 8.5 1.9- 2.9	180 250 500	14.1-14.3 13.9-14.1 13.1-13.3	

\* Exactly adjust these values by placing washers WMS 22 S 18 . . . 19 X below the control rod spring

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	Control Rod Travel from Full-Load to Idling mm
RS 204	1600	580	30-31	1200 900 250	360 180	30-32 30-32 7-9*	500	800	8.8-9.0

\* increase water column up to the max. feed quantity differential being: 1.5

After full-load adjustment, repeat check according to section B, columns 8, 9 and 2, 3!

The values in col.3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

**Injection Pump**  
PES 4 A 50 B 410 RS 204

**with Governor**  
EP/MZ 60 A 91 d

**DAI Sheet**  
**1,8 h**

Special Characteristics:  
Pump element with upper and lower helix (pitch of each helix: 7.5 mm) and starting groove.

dated: March 21st 1956  
and/or Aug. 1st 1959

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
<b>Speed</b>	<b>Control Rod Travel</b>	<b>Feed Quantity</b>	<b>Feed Quantity</b>		<b>Pre-tension of Spring</b>
r.p.m.	mm	cm <sup>3</sup> /100 strokes	<b>Differential</b>	<b>Drop</b>	(Adaptation Valve) mm
			cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	
1000	6	0.6-1.0			
	12	2.1-2.5	0.2		
	18	3.0-3.8			
200	6	0.3-0.7			
	21	8.5-9.7			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Travel of Adaptation</b>	<b>Leak-proof Test</b>		<b>Point of Adjustment Control Rod Travel Limit</b>		<b>Control Rod Travel Test</b>			<b>Adaptation</b>		
	<b>Vacuum Drop</b>	<b>Time Min.</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	<b>with Governor</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	
	mm Water Col.	sec.	mm Water Col.	mm	Design	mm Water Col.	mm	mm Water Col.	mm	
1.2+0.1	500-480	10	440	13	—	—	* 450 480 580 800 2000	13.0 10.7-12.5 5.7- 7.9 4.7- 5.2 2.5- 3.4	180 220 380	14.1-14.3 13.9-14.1 13.1-13.3

\* Exactly adjust these values by placing washers WMS 22 S 18 . . . 19 x below the control spring

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
<b>Injection Pump</b>	<b>Adjustment of Full-Load Stop Screw</b>			<b>Testing of Feed Quantity Characteristics</b>			<b>Adjustment of Idling Stop</b>		
		<b>Vacuum</b>			<b>Vacuum</b>			<b>Vacuum</b>	<b>Control Rod Travel from Full-Load to Idling</b>
	r.p.m.	mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	mm Water Col.	mm
RS 204	1600	430	29-30	1200 900 250	270 175	29-31 29-31 7-9*	0	0	9.0-9.2

After full-load adjustment check again acc to Section B No 8, 9 and 2, 3

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 204z	<b>with Governor</b> EP/MZ 60 A 91 d	<b>DAI Sheet</b> 1,8 h 1  dated: November 6th 1958
Special Characteristics: Pump element with upper and lower helix (pitch of each helix: 7.5 mm) and starting groove.		

## A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)

1	2	3	4	5	6
<b>Speed</b>	<b>Control Rod Travel</b>	<b>Feed Quantity</b>	<b>Feed Differential</b>	<b>Feed Quantity Drop</b>	<b>Pre-tension of Spring</b>
r.p.m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	6	0.6-1.0	0.2		
	12	2.1-2.5			
	18	3.0-3.8			
200	6	0.3-0.7			
	21	8.5-9.7			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Travel of Adaptation</b>	<b>Leak-proof Test</b>		<b>Point of Adjustment Control Rod Travel Limit</b>		<b>Control Rod Travel Test</b>			<b>Adaptation</b>		
	Vacuum Drop	Time Min.	Vacuum	Control Rod Travel	with Governor	Vacuum	Control Rod Travel	Vacuum	Control Rod Travel	
mm	mm Water Col.	sec.	mm Water Col.	mm	Design	mm Water Col.	mm	mm Water Col.	mm	
1.2+0.1	500-480	10	430	10.8	- -	* 450 480 550 800 2000	10.8 8.5-10.3 5 - 7 4.7- 5.2 2.5- 3.4	180 220 380	11.9-12.1 11.7-11.9 10.9-11.1	

\* Exactly adjust these values by placing washers WMS 22 S 18 . . . 19 x below the control spring

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
<b>Injection Pump</b>	<b>Adjustment of Full-Load Stop Screw</b>			<b>Testing of Feed Quantity Characteristics</b>			<b>Adjustment of Idling Stop</b>		
	r.p.m.	Vacuum		r.p.m.	Vacuum		r.p.m.	Vacuum	Control Rod Travel from Full-Load to Idling
		mm Water Col.	cm <sup>3</sup> /1000 strokes		mm Water Col.	cm <sup>3</sup> /1000 strokes		mm Water Col.	mm
RS 204 z	1600	430	24.5-25.5	1200 900	270 175	24.5-26.5 24.5-26.5	0	0	6.7-7.0

After full-load adjustment check again acc to Section B No 8, 9 and 2, 3

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements





# Test Specifications for Injection Pump and Governor

**Injection Pump**  
PES 4 A 50 B 410 RS 144

**with Governor**  
EP/MZ 60 A 93 d

**DAI Sheet**  
**1,81**

dated: Dec. 10th 1956  
and/or Aug. 1st 1959

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
<b>Speed</b>  r.p.m.	<b>Control Rod Travel</b>  mm	<b>Feed Quantity</b>  cm <sup>3</sup> /100 strokes	<b>Feed Quantity Differential</b>  cm <sup>3</sup> /100 strokes	<b>Feed Quantity Drop</b>  (between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	<b>Pre-tension of Spring</b>  (Adaptation Valve) mm
1000	9 <div style="border: 1px solid black; display: inline-block; padding: 2px;">12</div> 18	0.9-1.5 <div style="border: 1px solid black; display: inline-block; padding: 2px;">2.3-2.8</div> 4.6-5.3	0.2		
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Travel of Adaptation</b> mm	<b>Leak-proof Test</b>		<b>Point of Adjustment Control Rod Travel Limit</b>		<b>Control Rod Travel Test</b>			<b>Adaptation</b>		
	Vacuum Drop mm Water Col.	Time Min. sec.	Vacuum mm Water Col.	Control Rod Travel mm	with Governor Design	Vacuum mm Water Col.	Control Rod Travel mm	Vacuum mm Water Col.	Control Rod Travel mm	
0.6±0.1	500-480	10	430	13.0	—	—	* 470 500 600 2000	13.0 11 -12.6 7.5- 9.4 4.9- 5.5	200 250 320	13.5-13.7 13.4-13.7 13.1-13.4

\* Exactly adjust these values by placing washers WMS 22 S 18 ... 19 X below the control spring.

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
<b>Injec-tion Pump</b>	<b>Adjustment of Full-Load Stop Screw</b>			<b>Testing of Feed Quantity Characteristics</b>			<b>Adjustment of Idling Stop</b>		
	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	Control Rod Travel from Full-Load to Idling mm
RS 144	1600	430	29-30	1200 900 250	270 175 app. 580	29-31 29-31 7-9 *	0	0	6.0-6.3

\* feed quantity differential max. 1.5

After full-load adjustment, repeat check according to section B, clumns 8, 9 and 2, 3!

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

**Injection Pump**  
PES 4 A 50 B 410 RS 68

**with Governor**  
EP/RSV 250 - 1550 A 5/307  
or  
A 5 A 333

**DAI Sheet**  
1,8 m

dated: March 10 th 1958

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
<b>Speed</b> r.p.m.	<b>Control Rod Travel</b> mm	<b>Feed Quantity</b> cm <sup>3</sup> /100 strokes	<b>Feed Quantity Differential</b> cm <sup>3</sup> /100 strokes	<b>Feed Quantity Drop</b> (between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	<b>Pre-tension of Spring</b> (Adaptation Valve) mm
1000	9	0.9-1.5	0.2		
	12	2.3-2.8			
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Upper Rated Speed</b>			<b>Medium Rated Speed</b> (not applicable)			<b>Lower Rated Speed</b>			<b>Adaptation</b>	
<b>Adjusting Lever Range</b> degrees	r.p.m.	<b>Control Rod Travel</b> mm				<b>Adjusting Lever Range</b> degrees	r.p.m.	<b>Control Rod Travel</b> mm	r.p.m.	<b>Control Rod Travel</b> mm
approx. 74	1550	16	} without additional springs			approx. 22	250	6	1530 490 320	0 0 1.2-1.8
	1620	10					100	19 -21		
	1740	2					250	5.7- 6.3		
	1620	9-12	} with additional springs				350	3 - 4.5		
	1660	4-8					470	0 - 2		
	1750	0-2.6					550	0 - 1		
1800	0-1									

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8
<b>Injection Pump</b>	<b>Adjustment of Full-load Quantity at Control Rod Stop</b>		<b>Limit of RPM at the Governor Adjusting Lever</b>	<b>Testing of Feed Quantity Characteristics</b>		<b>Testing of Starting Quantity</b>		<b>Idle run Adjustment by means of the STOP screw</b>
	r.p.m.	cm <sup>3</sup> /1000 strokes	r.p.m.	r.p.m.	cm <sup>3</sup> /1000 strokes	r.p.m.	cm <sup>3</sup> /1000 strokes	
RS 68	1530	24.5-25.5	1560-1580					

The values in col. 2 and 5 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 144	<b>with Governor</b> EP/MZ 60 A 94 d or A 99 d	<b>DAI Sheet</b> 1,8 n  dated: Dec. 10th 1956 and/or Aug. 1st 1959
--	--	--

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
Speed <small>r.p.m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r.p.m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9	0.9-1.5	0.2		
	12	2.3-2.8			
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation <small>mm</small>	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop <small>mm Water Col.</small>	Time Min. <small>sec.</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	with Governor Design	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	
0.6±0.1	500-480	10	575	12.8	—	—	* 600 630 720 2000	12.8 10.9-12.4 6.5- 8.5 3.8- 4.7	300 350 450	13.3-13.5 13.2-13.5 12.9-13.2

\* Exactly adjust these values by placing washers WMS 22 S 18 . . . 19 x below the control rod spring

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r.p.m.	Vacuum <small>mm Water Col.</small>	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum <small>mm Water Col.</small>	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum <small>mm Water Col.</small>	Control Rod Travel from Full-Load to Idling <small>mm</small>
RS 144	1600	580	29-30	1200 900 250	360 180	29-31 29-31 7-9*	0	0	6.3-6.6

\* Increase water column up to the max. feed quantity differential being: 1.5

After full-load adjustment, repeat check according to section B, columns 8, 9 and 2, 3!

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 144z	<b>with Governor</b> EP/MZ 60 A 93 d	<b>DAI Sheet</b> <b>1,80</b> dated: Nov. 28th 1956 and/or Aug. 1st 1959
---	---	--

## A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)					
1	2	3	4	5	6
Speed <small>r.p.m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r.p.m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9  12  18	0.9-1.5  2.3-2.8  4.6-5.3	0.2		
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation <small>mm</small>	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop <small>mm Water Col.</small>	Time Min. <small>sec.</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	with Governor Design	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	
0.6±0.1	500-480	10	430	11.9	— —	* 470 500 560 2000	11.9 9.9-11.6 7.5- 9.4 4.6- 5.2	200 250 320	12.4-12.6 12.3-12.6 12 -12.3	

\* Exactly adjust these values by placing washers WMS 22 S 18 . . . 19 x below the control rod spring

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	<small>r.p.m.</small>	Vacuum <small>mm Water Col.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r.p.m.</small>	Vacuum <small>mm Water Col.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r.p.m.</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel from Full-Load to Idling <small>mm</small>
RS 144 z	1600	430	24.5-25.5	1200 900 250	270 175	24.5-26.5 24.5-26.5 7-9*	0	0	4.9-5.2

\*Increase water column up to the max. feed quantity differential being: 1.5

After full-load adjustment, repeat check according to section B, columns 8, 9 and 2, 3!

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

**Injection Pump**  
PES 4 A 50 B 410 RS 144z

**with Governor**  
EP/MZ 60 A 94 d  
or A 99 d

**DAI Sheet**  
**1,8 p**

dated: March 12 th 1957  
and/or Aug. 1st 1959

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
<b>Speed</b>	<b>Control Rod Travel</b>	<b>Feed Quantity</b>	<b>Feed Quantity Differential</b>	<b>Feed Quantity Drop</b>	<b>Pre-tension of Spring</b>
r.p.m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	9	0.9-1.5			
	12	2.3-2.8	0.2		
	18	4.6-1.2			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Travel of Adaptation</b>	<b>Leak-proof Test</b>		<b>Point of Adjustment Control Rod Travel Limit</b>		<b>Control Rod Travel Test</b>			<b>Adaptation</b>		
	Vacuum Drop	Time Min.	Vacuum	Control Rod Travel	with Governor	Vacuum	Control Rod Travel	Vacuum	Control Rod Travel	
	mm Water Col.	sec.	mm Water Col.	mm	Design	mm Water Col.	mm	mm Water Col.	mm	
0.6±0.1	500-480	10	575	11.7*	— —	* 600 630 680 2000	11.7 9.7-11.3 7.1- 8.9 3.8- 4.6	300 350 450	12.2-12.4 12.1-12.4 11.8-12.1	

\* Exactly adjust these values by placing washers WMS 22 S 18 . . . 19 x below the control spring.

For Testing Control Rod Travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
<b>Injection Pump</b>	<b>Adjustment of Full-Load Stop Screw</b>			<b>Testing of Feed Quantity Characteristics</b>			<b>Adjustment of Idling Stop</b>		
		Vacuum			Vacuum			Vacuum	Control Rod Travel from Full-Load to Idling
	r.p.m.	mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	mm Water Col.	mm
RS 144 z	1600	580	24.4-25.5	1200 900 250	360 180	24.5-26.5 24.5-26.5 7-9*	0	0	5.2-5.5

\*increase water column up to the max. feed quantity differential being: 1.5

After full-load adjustment, repeat check according to section B, columns 8, 9 and 2, 3!

The values in col. 3 and 6 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 68	<b>with Governor</b> EP/RSV 250 – 1150 A 4/307 or A 4 A 333	<b>DAI Sheet</b> <b>1,8 q</b> dated: March 28 th 1958
---	--	---

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
<b>Speed</b>	<b>Control Rod Travel</b>	<b>Feed Quantity</b>	<b>Feed Quantity Differential</b>	<b>Feed Quantity Drop</b>	<b>Pre-tension of Spring</b>
r.p.m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	9	0.9–1.5	0.3		
	12	2.3–2.8			
	18	4.6–5.3			
200	9	0.7–1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Upper Rated Speed</b>			<b>Lower Rated Speed</b> (not applicable)			<b>Lower Rated Speed</b>			<b>Adaptation</b>	
<b>Adjusting Lever Range</b>		<b>Control Rod Travel</b>				<b>Adjusting Lever Range</b>		<b>Control Rod Travel</b>		<b>Control Rod Travel</b>
degrees	r.p.m.	mm				degrees	r.p.m.	mm	r.p.m.	mm
approx. 71	1150	16	} without additional springs			approx. 24	250	6	1130	0
		1190					10			
			} with additional springs							
	1180	10.3–12.6								
	1220	3.6– 6.6				100	19 –21	450	0	
	1260	0.6– 2.9				250	5.7– 6.3	300	1.2–1.8	
	1300	0 – 1				300	3.8– 5.9			
						420	0 – 1			

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8
<b>Injection Pump</b>	<b>Adjustment of Full-load Quantity at Control Rod Stop</b>		<b>Limit of RPM at the Governor Adjusting Lever</b>	<b>Testing of Feed Quantity Characteristics</b>		<b>Testing of Starting Quantity</b>		<b>Idle run Adjustment by means of the STOP screw</b>
	r.p.m.	cm <sup>3</sup> /100 strokes	r.p.m.	r.p.m.	cm <sup>3</sup> /1000 strokes	r.p.m.	cm <sup>3</sup> /1000 strokes	
RS 68	1130	24.5–25.5	1160–1180					250 RW 6

The values in col. 2 and 5 are obtained by dividing the total quantity through the number of pump elements

## Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 50  x PES 4 A 50 C 410 RS 1010 RS 1025	<b>with Governor</b> x EP/RSV 250 1275 A 5 A 152* 1275 A 5 A 60** 1425 A 5/15** 1425 A 5 A 60***	<b>DAI Sheet</b>  <b>1.8 r</b>  x dated: Apr. 13 th 1962
--	--	--

### A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC)

1	2	3	4	5	6
<b>Speed</b>	<b>Control Rod Travel</b>	<b>Feed Quantity</b>	<b>Feed Quantity Differential</b>	<b>Feed Quantity Drop</b>	<b>Pre-tension of Spring</b>
r. p. m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r. p. m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	9	0.9-1.5	0.2		
	12	2.3-2.8			
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Upper Rated Speed</b>			<b>Medium Rated Speed</b>			<b>Lower Rated Speed</b>			<b>Adaptation</b>	
<b>Adjusting Lever Range</b>		<b>Control Rod Travel</b>	<b>(not applicable)</b>			<b>Adjusting Lever Range</b>		<b>Control Rod Travel</b>		<b>Control Rod Travel</b>
degrees	r. p. m.	mm	r. p. m.			degrees	r. p. m.	mm	r. p. m.	mm
approx. 65	1425	16	} without additional springs			approx. 21	250	6	1400 500 300	0 0 1.2-1.8
	1500	9.8								
	1550	4.2								
	1480	10-12.5								
	1500	8-11	} with additional springs				100	19-21		
	1550	3-7					250	5.7-6.3		
	1600	0.8-3.4					350	3-4.5		
	1700	0-1					450	0-2.2		
					550	0-1				

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8
<b>Injec- tion Pump</b>	<b>Adjustment of Full- Load Quantity at Control Rod Stop</b>		<b>Limit of RPM at the Governor Adjusting Lever</b>	<b>Testing of Feed Quantity Characteristics</b>		<b>Testing of Starting Quantity</b>		<b>Idle run Adjustment by means of the STOP screw</b>
	r. p. m.	cm <sup>3</sup> /1000 strokes	r. p. m.	r. p. m.	cm <sup>3</sup> /1000 strokes	r. p. m.	cm <sup>3</sup> /1000 strokes	
RS 1010***	1400	29-30	1430-1450	-	-	-	-	-
RS 50**	1250	29-30	1280-1290	-	-	-	-	-
RS 1025*	1250	24.5-25.5	1280-1290	-	-	-	-	-
-	-	-	-	-	-	-	-	-

The values in col. 2 and 5 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

**Injection Pump**  
PES 4 A 50 B 410 RS 50

**with Governor**  
EP/RSV 250 – 1275 A 5 A 60

**DAI Sheet**  
**1.8 r 1**

dated: May 15th 1959

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC)**

1	2	3	4	5	6
Speed <small>r. p. m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r. p. m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9	0.9-1.5			
	12	2.3-2.8	0.2		
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Upper Rated Speed			Medium Rated Speed <small>(not applicable)</small>			Lower Rated Speed			Adaptation	
Adjusting Lever Range <small>degrees</small>	Control Rod Travel <small>r. p. m.</small>	Control Rod Travel <small>mm</small>	<small>r. p. m.</small>			Adjusting Lever Range <small>degrees</small>	Control Rod Travel <small>r. p. m.</small>	Control Rod Travel <small>mm</small>	<small>r. p. m.</small>	<small>mm</small>
approx. 54	1275	16	} without additional springs			approx. 18	250	6	1250 500 340	0 0 1.2-1.8
	1320	11.6					100	19-21		
	1380	5	250	5.7-6.3						
	1330	9-12	350	3-4.5						
	1360	5-9	450	0-2.2						
	1400	2.5-5	550	0-1						
	1450	0.5-2.8								
1500	0	} with additional springs								

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8
Injection Pump	Adjustment of Full-Load Quantity at Control Rod Stop <small>r. p. m.</small>	Limit of RPM at the Governor Adjusting Lever <small>cm<sup>3</sup>/1000 strokes</small>	Limit of RPM at the Governor Adjusting Lever <small>r. p. m.</small>	Testing of Feed Quantity Characteristics <small>r. p. m.</small>	Testing of Feed Quantity Characteristics <small>cm<sup>3</sup>/1000 strokes</small>	Testing of Starting Quantity <small>r. p. m.</small>	Testing of Starting Quantity <small>cm<sup>3</sup>/1000 strokes</small>	Idle run Adjustment by means of the STOP screw
RS 50	1250	29-30	1280-1290	-	-			

The values in col. 2 and 5 are obtained by dividing the total quantity through the number of pump elements

## Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 68	<b>with Governor</b> EP/RSV 250 – 1200 A 5 A 333	<b>DAI Sheet</b> <b>1.8 r 2</b>  dated: May 1st 1961
---	---	---

### A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC)**

1	2	3	4	5	6
Speed <small>r. p. m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r. p. m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9	0.9–1.5	0.3		
	12	2.3–2.8			
	18	4.6–5.3			
200	9	0.7–1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Upper Rated Speed		Control Rod Travel <small>mm</small>	Medium Rated Speed <small>(not applicable)</small>			Lower Rated Speed			Adaptation	
Adjusting Lever Range <small>degrees</small>	<small>r. p. m.</small>		<small>r. p. m.</small>			Adjusting Lever Range <small>degrees</small>	<small>r. p. m.</small>	Control Rod Travel <small>mm</small>	<small>r. p. m.</small>	Control Rod Travel <small>mm</small>
approx. 51	1200	16	} without additional springs			ap. 18	250	6	1180 500 310	0 0 1.2–1.8
	1250	11					100	19 – 21		
	1300	5.6	250	5.7– 6.3						
	1250	10 – 12	350	3 – 4.4						
	1300	3.8– 7.5	450	0 – 2.2						
	1350	1.8– 3.6	550	0 – 1						
1450	0 – 1	} with additional springs								

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8
Injection Pump	Adjustment of Full-Load Quantity at Control Rod Stop	Limit of RPM at the Governor Adjusting Lever	Testing of Feed Quantity Characteristics	Testing of Starting Quantity		Idle run Adjustment by means of the STOP screw		
<small>r. p. m.</small>	<small>cm<sup>3</sup>/1000 strokes</small>			<small>r. p. m.</small>	<small>r. p. m.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r. p. m.</small>	<small>r. p. m.</small>
RS 68	1180	24.5–25.5	1210–1230	–	–	–	–	n 250 RW 6

The values in col. 2 and 5 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 A 50 B 410 RS 1025 RS 68	<b>with Governor</b> EP/RSV 650-1200 A 5 A 388 A 387 B 388 B 387	<b>DAI Sheet</b> <b>1.8 r 3</b>  dated: Apr. 13th 1962
--	--	---

## A. Adjustment of the Injection Pump

Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC)					
1	2	3	4	5	6
Speed <small>r. p. m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r. p. m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9	0.9-1.5			
	12	2.3-2.8	0.3		
	18	4.6-5.3			
200	9	0.7-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Upper Rated Speed			Medium Rated Speed <small>(not applicable)</small>			Lower Rated Speed			Adaptation	
Adjusting Lever Range <small>degrees</small>	r. p. m.	Control Rod Travel <small>mm</small>	r. p. m.			Adjusting Lever Range <small>degrees</small>	r. p. m.	Control Rod Travel <small>mm</small>	r. p. m.	Control Rod Travel <small>mm</small>
approx. 51	1200	16	} without additional springs			ap. 29	650	6		
	1250	11.2					100	19 -21		
	1300	5.6	650	5.7- 6.3						
	1270	7 -10	700	4 - 5						
	1300	4.7- 7	800	0.5- 3						
	1400	0.5- 3	900	0 - 1						
1500	0 - 1	} with additional springs								

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8
Injection Pump	Adjustment of Full-Load Quantity at Control Rod Stop		Limit of RPM at the Governor Adjusting Lever	Testing of Feed Quantity Characteristics		Testing of Starting Quantity		Idle run Adjustment by means of the STOP screw
	<small>r. p. m.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r. p. m.</small>	<small>r. p. m.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r. p. m.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	
RS 1025 RS 68	1180	29-30	1210-1230	—	—	—	—	n 650 RW 6

The values in col. 2 and 5 are obtained by dividing the total quantity through the number of pump elements

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 M 50/320 R 1 or R 1/2 or R 1/24 or R 4/24	<b>with Governor</b> EP/MN 60 M 3 d or 4 d	<b>DAI Sheet</b> <b>1,9 a</b> dated March 10, 1959
---	--	--

## A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)					
1	2	3	4	5	6
Speed	Control Rod Travel	Feed Quantity	Feed Quantity Differential	Feed Quantity Drop	Pre-tension of Spring
r.p.m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	9	0.9-1.2	0.2		
	15	3.0-3.7			
	18	4.0-4.7			
200	9	0.8-1.1			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation mm	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop	Time Min.	Vacuum	Control Rod Travel	with Governor	Vacuum	Control Rod Travel	Vacuum	Control Rod Travel	
	mm Water Col.	sec.	mm Water Col.	mm	Design	mm Water Col.	mm	mm Water Col.	mm	
2.2+0.1	500-480	10	—	—	—	—	590 600* 625 750	12.7 12.7 9.8-12.5 2 - 5.5	25 150 500 580	14.9-15 14.4-14.7 12.8-13.2 12.7

\* Exactly adjust begin of governing between 600-620 mm WG by placing washers WMS 22 S 18 . . . 19 X below the control spring.

For checking control travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum mm Water Col.	Control Rod Travel from Full-Load to Idling mm
R 1 u. R 1/2 u. R 1/24 u. R 4/24	2000	590	30.50-31.5	1000 500 250	190 0 app. 650	30.5-32 30.5-32 to 6-8*	—	** see page over-leaf	

With full load adjustment (columns 3 and 6) individual measurement 1000 strokes

All test values are valid only for BOSCH injection pump test stands.

## Back of test sheet DAI 1,9 a

### \*\*) Adjustment of idling stop

At 500 r.p.m. and disengaged governor stop cam set control rod to full load position by increasing the WG to 590 mm (exactly keep to this value) and then measure the control rod travel obtained. Further increase WG until the control rod has adjusted to 3.0 mm less travel as compared to full load position, measured at WG 590 mm. In this position slowly press the stop cam to the end position observing the control rod.

Provided the position of the spring capsule is correct, the control rod will now adjust to a travel which is by  $2.0 \pm 0.5$  mm less than that in full load position, measured at WG 590 mm.

If the adjustment travel value is too high or too low, the position of the stop pin (7) in the spring capsule housing (2) should be varied by placing washers (5) between stop pin shoulder and lock ring (6) (see Figure 07-1/1).

**Caution!** This variation also varies the pre-tension in the spring capsule. This should be compensated for by placing washers (4) between additional spring (3) and stop pin bottom in order to obtain the specified pre-tension of 50-90 grams.




Figure 07-1/1

#### Spring capsule EPMK 52 P 1 Z

- 1 Snap ring NMR 50/11 X
- 2 Spring capsule housing EPMK 52 P 1 X
- 3 Spring WSF 11 P 186 X
- 4 Washers WMS 2040 P 28 or 29 X
- 5 Washer WMS 25 P 125 X
- 6 Lock ring NMR 33/3 X
- 7 Stop pin EPBO 202 P 1 X

With the cam in initial lift position and pressing the governor lever in direction STOP, the control rod should move to zero.

The control travel of 12.7 in section B), column 9, is an approximate value. Because of the different adjusting mechanism of this pump, the full load control travel may fluctuate. Accordingly, ascertain therefore the control travel which is required to obtain the full load quantity, section C), column 3. Then also the values in section B), column 9 and 11 vary upwards or downwards by the amount deviating from the control travel of 12.7 mm.

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 M 50/320 R 1/2 z or R 4/24 z	<b>with Governor</b> EP/MN 60 M 3 d or 4 d	<b>DAI Sheet</b> <b>1,9 b</b>  dated July 10, 1959
--	--	---

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
Speed <small>r.p.m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r.p.m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9 <div style="border: 1px solid black; width: 20px; height: 10px; margin: 2px auto;"></div> 15 18	0.9-1.2 <div style="border: 1px solid black; width: 20px; height: 10px; margin: 2px auto;"></div> 3.0-3.7 4.0-4.7	0.2		
200	9	0.8-1.1			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation <small>mm</small>	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop <small>mm Water Col.</small>	Time Min. <small>sec.</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	with Governor Design	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	
2.2+0.1	500-480	10	—	—	—	—	590 600* 625 750	12.7 12.7 9.8-12.5 2 - 5.5	25 150 500 580	14.9-15 14.4-14.7 12.8-13.2 12.7

\* Exactly adjust begin of governing between 600-620 mm WG by placing washers WMS 22 S 18 . . . 19 X below the control spring.  
 For checking control travel (column 4-11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r.p.m.	Vacuum <small>mm Water Col.</small>	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum <small>mm Water Col.</small>	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum <small>mm Water Col.</small>	Control Rod Travel from Full-Load to Idling <small>mm</small>
R 1/2 z u. R 4/24 z	2000	590	27.5-28.5	1000 500 250	190 0 app. 650	27.5-29 27.5-29 to 6-8*	—	** see page over-leaf	

With full load adjustment (columns 3 and 6) individual measurement 1000 strokes

All test values are valid only for BOSCH injection pump test stands.

## Back of test sheet DAI 1,9 b

### \*\*) Adjustment of idling stop

At 500 r.p.m. and disengaged governor stop cam set control rod to full load position by increasing the WG to 590 mm (exactly keep to this value) and then measure the control rod travel obtained. Further increase WG until the control rod has adjusted to 2.0 mm less travel as compared to full load position, measured at WG 590 mm. In this position slowly press the stop cam to the end position observing the control rod.

Provided the position of the spring capsule is correct, the control rod will now adjust to a travel which is by  $1.0 \pm 0.5$  mm less than that in full load position, measured at WG 590 mm.

If the adjustment travel value is too high or too low, the position of the stop pin (7) in the spring capsule housing (2) should be varied by placing washers (5) between stop pin shoulder and lock ring (6) (see Figure 07-1/1).

**Caution!** This variation also varies the pre-tension in the spring capsule. This should be compensated for by placing washers (4) between additional spring (3) and stop pin bottom in order to obtain the specified pre-tension of 50-90 grams.




Figure 07-1/2

#### Spring capsule EPMK 52 P 1 Z

- 1 Snap ring NMR 50/11 X
- 2 Spring capsule housing EPMK 52 P 1 X
- 3 Spring WSF 11 P 186 X
- 4 Washers WMS 2040 P 28 or 29 X
- 5 Washer WMS 25 P 125 X
- 6 Lock ring NMR 33/3 X
- 7 Stop pin EPBO 202 P 1 X

With the cam in initial lift position and pressing the governor lever in direction STOP, the control rod should move to zero.

The control travel of 12.7 in section B), column 9, is an approximate value. Because of the different adjusting mechanism of this pump, the full load control travel may fluctuate. Accordingly, ascertain therefore the control travel which is required to obtain the full load quantity, section C), column 3. Then also the values in section B), column 9 and 11 vary upwards or downwards by the amount deviating from the control travel of 12.7 mm.

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 M 50/320 R 3 or R 3/24 Special characteristics: injection pump with double control helix Helix pitch $\frac{5}{12}$ mm.	<b>with Governor</b> EP/MN 60 M 4 d	<b>DAI Sheet</b> 1,9 c. dated July 10, 1959
---	--	---

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC)**

1	2	3	4	5	6
Speed <small>r.p.m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r.p.m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9	0.9–1.3	0.2		
	15	3.0–3.5			
	18	3.8–4.4			
200	9	0.8–1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
Travel of Adaptation <small>mm</small>	Leak-proof Test		Point of Adjustment Control Rod Travel Limit		Control Rod Travel Test			Adaptation		
	Vacuum Drop <small>mm Water Col.</small>	Time Min. <small>sec.</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	with Governor Design	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	Vacuum <small>mm Water Col.</small>	Control Rod Travel <small>mm</small>	
2.2+0.1	500–480	10	—	—	—	—	590 600* 625 750	12.7 12.7 9.8–12.5 2 – 5.5	25 150 500 580	14.9–15 14.4–14.7 12.8–13.2 12.7

\* Exactly adjust begin of governing between 600–620 mm WG by placing washers WMS 22 S 18 . . . 19 X below the control spring.  
 For checking control travel (column 4–11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r.p.m.	Vacuum <small>mm Water Col.</small>	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum <small>mm Water Col.</small>	cm <sup>3</sup> /1000 strokes	r.p.m.	Vacuum <small>mm Water Col.</small>	Control Rod Travel from Full-Load to Idling <small>mm</small>
R 3 u. R 3/24	2000	590	30.5–31.5	1000 500 250	190 0 app. 650	30.5–32 30.5–32 to 6–8*	—	** see page over-leaf	

With full load adjustment (columns 3 and 6) individual measurement 1000 strokes

All test values are valid only for BOSCH injection pump test stands.

## Back of test sheet DAI 1,9 c

### \*\*) Adjustment of idling stop

At 500 r.p.m. and disengaged governor stop cam set control rod to full load position by increasing the WG to 590 mm (exactly keep to this value) and then measure the control rod travel obtained. Further increase WG until the control rod has adjusted to 3.0 mm less travel as compared to full load position, measured at WG 590 mm. In this position slowly press the stop cam to the end position observing the control rod.

Provided the position of the spring capsule is correct, the control rod will now adjust to a travel which is by  $2.0 \pm 0.5$  mm less than that in full load position, measured at WG 590 mm.

If the adjustment travel value is too high or too low, the position of the stop pin (7) in the spring capsule housing (2) should be varied by placing washers (5) between stop pin shoulder and lock ring (6) (see Figure 07-1/1).

**Caution!** This variation also varies the pre-tension in the spring capsule. This should be compensated for by placing washers (4) between additional spring (3) and stop pin bottom in order to obtain the specified pre-tension of 50-90 grams.




Figure 07-1/3

#### Spring capsule EPMK 52 P 1 Z

- 1 Snap ring NMR 50/11 X
- 2 Spring capsule housing EPMK 52 P 1 X
- 3 Spring WSF 11 P 186 X
- 4 Washers WMS 2040 P 28 or 29 X
- 5 Washer WMS 25 P 125 X
- 6 Lock ring NMR 33/3 X
- 7 Stop pin EPBO 202 P 1 X

With the cam in initial lift position and pressing the governor lever in direction STOP, the control rod should move to zero.

The control travel of 12.7 in section B), column 9, is an approximate value. Because of the different adjusting mechanism of this pump, the full load control travel may fluctuate. Accordingly, ascertain therefore the control travel which is required to obtain the full load quantity, section C), column 3. Then also the values in section B), column 9 and 11 vary upwards or downwards by the amount deviating from the control travel of 12.7 mm.

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 M 50/320 R 3 z or R 3/24 z Special characteristics: injection pump with double control helix Helix pitch $\frac{5}{12}$ mm.	<b>with Governor</b> EP/MN 60 M 4 d	<b>DAI Sheet</b> 1,9 d dated July 10, 1959
---	--	--

## A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7 + 0.1 mm (from BDC) with CRT 18**

1	2	3	4	5	6
<b>Speed</b>	<b>Control Rod Travel</b>	<b>Feed Quantity</b>	<b>Feed Quantity Differential</b>	<b>Feed Quantity Drop</b>	<b>Pre-tension of Spring</b>
r.p.m.	mm	cm <sup>3</sup> /100 strokes	cm <sup>3</sup> /100 strokes	(between 1000 and 200 r.p.m.) cm <sup>3</sup> /100 strokes	(Adaptation Valve) mm
1000	9	0.9–1.3	0.2		
	15	3.0–3.5			
	18	3.8–4.4			
200	9	0.8–1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment Data of the Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Travel of Adaptation</b>	<b>Leak-proof Test</b>		<b>Point of Adjustment Control Rod Travel Limit</b>		<b>Control Rod Travel Test</b>			<b>Adaptation</b>		
	<b>Vacuum Drop</b>	<b>Time Min.</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	<b>with Governor</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	<b>Vacuum</b>	<b>Control Rod Travel</b>	
	mm Water Col.	sec.	mm Water Col.	mm	Design	mm Water Col.	mm	mm Water Col.	mm	
2.2+0.1	500–480	10	—	—	—	—	590 600* 625 750	12.7 12.7 9.8–12.5 2 – 5.5	25 150 500 580	14.9–15 14.4–14.7 12.8–13.2 12.7

\* Exactly adjust begin of governing between 600–620 mm WG by placing washers WMS 22 S 18 . . . 19 X below the control spring.  
 For checking control travel (column 4–11) n = 500 r.p.m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
<b>Injection Pump</b>	<b>Adjustment of Full-Load Stop Screw</b>			<b>Testing of Feed Quantity Characteristics</b>			<b>Adjustment of Idling Stop</b>		
	r.p.m.	<b>Vacuum</b> mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	<b>Vacuum</b> mm Water Col.	cm <sup>3</sup> /1000 strokes	r.p.m.	<b>Vacuum</b> mm Water Col.	<b>Control Rod Travel from Full-Load to Idling</b> mm
R 3 z u. R 3/24 z	2000	590	27.5–28.5	1000 500 250	190 0 app. 650	27.5–29 27.5–29 to 6–8*	—	** see page over-leaf	

With full load adjustment (columns 3 and 6) individual measurement 1000 strokes

All test values are valid only for BOSCH injection pump test stands.

## Back of test sheet DAI 1,9 d

### \*\*) Adjustment of idling stop

At 500 r.p.m. and disengaged governor stop cam set control rod to full load position by increasing the WG to 590 mm (exactly keep to this value) and then measure the control rod travel obtained. Further increase WG until the control rod has adjusted to 2.0 mm less travel as compared to full load position, measured at WG 590 mm. In this position slowly press the stop cam to the end position observing the control rod.

Provided the position of the spring capsule is correct, the control rod will now adjust to a travel which is by  $1.0 \pm 0.5$  mm less than that in full load position, measured at WG 590 mm.

If the adjustment travel value is too high or too low, the position of the stop pin (7) in the spring capsule housing (2) should be varied by placing washers (5) between stop pin shoulder and lock ring (6) (see Figure 07-1/4).

**Caution!** This variation also varies the pre-tension in the spring capsule. This should be compensated for by placing washers (4) between additional spring (3) and stop pin bottom in order to obtain the specified pre-tension of 50-90 grams.




Figure 07-1/4

#### Spring capsule EPMK 52 P 1 Z

- 1 Snap ring NMR 50/11 X
- 2 Spring capsule housing EPMK 52 P 1 X
- 3 Spring WSF 11 P 186 X
- 4 Washers WMS 2040 P 28 or 29 X
- 5 Washer WMS 25 P 125 X
- 6 Lock ring NMR 33/3 X
- 7 Stop pin EPBO 202 P 1 X

With the cam in initial lift position and pressing the governor lever in direction STOP, the control rod should move to zero.

The control travel of 12.7 in section B), column 9, is an approximate value. Because of the different adjusting mechanism of this pump, the full load control travel may fluctuate. Accordingly, ascertain therefore the control travel which is required to obtain the full load quantity, section C), column 3. Then also the values in section B), column 9 and 11 vary upwards or downwards by the amount deviating from the control travel of 12.7 mm.

## Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 M 50 A 320 RS 14  Control Edge Gradient 5/12 mm	<b>with Governor</b> EP/MN 60 M 7 d M 8 d	<b>DAI Sheet</b>  <b>1.9 e</b>  x dated: Aug. 3rd 1961
--	---	--

### A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC) at Control Rod Travel 18**

1	2	3	4	5	6
Speed <small>r. p. m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r. p. m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9	0.9-1.3			
	15	3 -3.5	0.2		
	18	3.8-4.4			
200	9	0.8-1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment of Governor

1	2	3	4	5	6	7	8	9	10	11
Compensating Path <small>mm</small>	Tightness Vacuum drop <small>mm Water Col.</small>	Time red. <small>sec.</small>	Adjusting Point Control Rod Travel <small>Vacuum mm Water Col.</small>	Control Path <small>mm</small>	Adjustment Supplementary Spring <small>Vacuum mm Water C.</small>	Control Path <small>mm</small>	Control Rod Travel Test <small>Vacuum mm Water Col.</small>	Control Path <small>mm</small>	Compensation Vacuum <small>mm Water Col.</small>	Control Path <small>mm</small>
1.0+0.1	500-480	10	—	—	—	—	565* 595 670	13.3-13.6 8.5-12.8 3.2- 5.6	100 300 380 540	14.9-15 14.9-15 14.4-14.7 13.4-13.7

\* Begin of governing between 560-590 mm Water Col. by adding washers WMS 22 S 18..19 X under governor spring.  
During Control Rod Travel Test (Column 4-11) n = 500 r. p. m.

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	<small>r. p. m.</small>	<small>Vacuum mm Water Col.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r. p. m.</small>	<small>Vacuum mm Water Col.</small>	<small>cm<sup>3</sup>/1000 strokes</small>	<small>r. p. m.</small>	<small>Vacuum mm Water Col.</small>	<small>Control Path from Full Load to Idling Load mm</small>
RS 14	2150	560	32-33	1400 500	310 0	31.5-33.5 30-32	-	** please turn over	

At full load setting (col. 3 and 6) individual measurements 1000 strokes  
All test values apply only for BOSCH Injection Test Stands.

## \*\* Adjustment of Idling Stop

At 500 rpm and with governor stop cam disengaged set control to full load position by increasing WG to 560 mm (accurately) and measure control rod travel obtained. Increase control rod travel still further until control rod has adjusted to 3.0 mm less control rod travel than at full load position measured at 560 mm WG. In this position move stop cam slowly up to end position watching control rod during the process.

With spring cage correctly set the control rod should now adjust to a control rod travel  $2.0 \pm 0.5$  mm less than in full load position measured at 560 WG. If the adjusted value is higher or lower the position of the spring bolt in the spring cage should be changed by placing the required washers between the spring bolt collar and the lock washer.

**Attention please:** This change will also change the pre-tension in the spring cage. By placing washers between spring and spring bolt bottom end the pre-tension will be brought back to the specified value of 50–90 grams.

With cam in contact position and the governor adjusting lever set in direction STOP the control rod should move to Control Rod Travel 0.

## Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 M 50 A 320 RS 14	<b>with Governor</b> EP/MN 60 M 9 d	<b>DAI Sheet</b> <b>1.9 f</b> dated: Aug. 3rd 1961
---	--	--

### A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC) at Control Rod Travel 18**

1	2	3	4	5	6
<b>Speed</b>	<b>Control Rod Travel</b>	<b>Feed Quantity</b>	<b>Feed Quantity</b>		<b>Pre-tension of Spring</b>
r. p. m.	mm	cm <sup>3</sup> /100 strokes	<b>Differential</b>	<b>Drop</b>	(Adaptation Valve)
			cm <sup>3</sup> /100 strokes	(between 1000 and 200 r. p. m.)	mm
				cm <sup>3</sup> /100 strokes	
1000	9	0.9-1.3	0.2		
	15	3 -3.5			
	18	3.8-4.4			
200	9	0.8-1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment of Governor

1	2	3	4	5	6	7	8	9	10	11
<b>Compensating Path</b>	<b>Tightness</b>		<b>Adjusting Point Control Rod Travel</b>		<b>Adjustment Supplement. Spring</b>		<b>Control Rod Travel Test</b>		<b>Compensation</b>	
mm	Vacuum drop	Time red.	Vacuum	Control Path	Vacuum	Control Path	Vacuum	Control Path	Water Col.	Control Path
	mm Water Col.	sec.	mm Water Col.	mm	mm Water col.	mm	mm Water Col.	mm	mm	mm
2.5+0.1	500-480	10	-	-	-	-	440* 475 550	12.4-12.7 8.2-12.2 0-5	50 200 400	14.9-15 14.1-14.4 12.7-13

\* Begin of governing between 450-470 mm WG by adding washers WMS 22 S 18..19 X under governor spring.  
 During Control Rod Travel Test (Column 4-11) n = 500 r. p. m.

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
<b>Injection Pump</b>	<b>Adjustment of Full-Load Stop Screw</b>			<b>Testing of Feed Quantity Characteristics</b>			<b>Adjustment of Idling Stop</b>		
	r. p. m.	Vacuum	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum	Control Path from Full Load to Idling Load
		mm Water Col.			mm Water Col.			mm Water Col.	mm
RS 14	2000	440	30-31	1400 800	300 95	29 -31 32.5-34.5			** please turn over
				250	ap. 480	5-11			

At full load setting (col. 3 and 6) individual measurements 1000 strokes  
 All test values apply only for BOSCH Injection Test Stands.

## \*\* Adjustment of Idling Stop

At 500 rpm and with governor stop cam disengaged set control rod to full load position by increasing WG to 445 mm (accurately) and measure control rod travel obtained. Increase control rod travel still further until control rod has adjusted to 3.0 mm less control rod travel than at full load position measured at 445 mm WG. In this position move stop cam slowly up to end position watching control rod during the process.

With spring cage correctly set the control rod should now adjust to a control rod travel  $2.0 \pm 0.5$  mm less than in full load position measured at 445 WG. If the adjusted value is higher or lower the position of the spring bolt in the spring cage should be changed by placing the required washers between the spring bolt collar and the lock washer.

**Attention please:** This change will also change the pre-tension in the spring cage. By placing washers between spring and spring bolt bottom end the pre-tension will be brought back to the specified value of 50–90 grams.

With cam in contact position and the governor adjusting lever set in direction STOP the control rod should move to Control Rod Travel 0.

## Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 M 50 A 320 RS 14 RS 14 z  Special Features: Control Edge Gradient 5/12 mm	<b>with Governor</b> EP/MN 60 M 11 d	<b>DAI Sheet</b> 1.9 g  dated: Oct. 6th 1961
--	---	---

### A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC) at Control Rod Travel 18

1	2	3	4	5	6
Speed <small>r. p. m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r. p. m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9	0.9-1.3			
	15	3 -3.5	0.2		
	18	3.8-4.4			
200	9	0.8-1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment of Governor

1	2	3	4	5	6	7	8	9	10	11
Compensating Path <small>mm</small>	Tightness Vacuum drop <small>mm Water Col.</small>	Time red. <small>sec.</small>	Adjusting Point Control Rod Travel Vacuum <small>mm Water Col.</small>	Control Path <small>mm</small>	Adjustment Supplementary Spring Vacuum <small>mm Water C.</small>	Control Path <small>mm</small>	Control Rod Travel Test Vacuum <small>mm Water Col.</small>   Control Path <small>mm</small>		Compensation Vacuum <small>mm Water Col.</small>	Control Path <small>mm</small>
2.1+0.1	500-480	10	-	-	-	-	520 560 600 700	11.9* 10.2-11.5 7.8-9.5 2.6-5.4	100 200 400	13.9-14 13.6-13.9 12.2-12.6

\* Begin of governing between 530-550 mm WG by adding washers WMS 22 S 18...19 X under governor spring.  
 During Control Rod Travel Test (Column 4-11) n = 500 r. p. m.

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw Vacuum <small>mm Water Col.</small>   <small>cm<sup>3</sup>/1000 strokes</small>			Testing of Feed Quantity Characteristics Vacuum <small>mm Water Col.</small>   <small>cm<sup>3</sup>/1000 strokes</small>			Adjustment of Idling Stop Vacuum <small>mm Water Col.</small>   Control Path from Full Load to Idling Load <small>mm</small>		
RS 14	1900	510	28.5-29.5	1000 500	150 0	29.5-31.5 28.5-30.5	-	** please turn over	
				250	ap. 610	5 -11			
				deviation max. 1.5					

At full load setting (col. 3 and 6) individual measurements 1000 strokes  
 All test values apply only for BOSCH Injection Test Stands.

**\*\* Adjustment of Idling Stop**

At 500 rpm and with governor stop cam disengaged set control rod to full load position by increasing WG to 510 mm (accurately) and measure control rod travel obtained. Increase control rod travel still further until control rod has adjusted to 3.0 mm less control rod travel than at full load position measured at 510 mm WG. In this position move stop cam slowly up to end position watching control rod during the process.

With spring cage correctly set the control rod should now adjust to a control rod travel  $1.5 \pm 0.5$  mm less than in full load position measured at 510 WG. If the adjusted value is higher or lower the position of the spring bolt in the spring cage should be changed by placing the required washers between the spring bolt collar and the lock washer.

**Attention please:** This change will also change the pre-tension in the spring cage. By placing washers between spring and spring bolt bottom end the pre-tension will be brought back to the specified value of 50–90 grams.

With cam in contact position and the governor adjusting lever set in direction STOP the control rod should move to Control Rod Travel O.

RS 14 z with ... M 11 d										
Adjust delivery of equal quantities within outlined <input type="checkbox"/> limits										
<b>B. Adjustment of Governor</b>										
1	2	3	4	5	6	7	8	9	10	11
Compensating Path mm	Tightness		Adjusting Point Control Rod Travel		Adjustment Supplementary Spring		Control Rod Travel Test		Compensation	
	Vacuum drop mm Water Col.	Time red. sec.	Vacuum mm Water Col.	Control Path mm	Vacuum mm Water C.	Control Path mm	Vacuum mm Water Col.	Control Path mm	Vacuum mm Water Col.	Control Path mm
2.1+0.1	500-480	10	—	—	—	—	520 560 600	11.0* 9.2-10.5 7 - 8.5	100 200 400	13.1-13.2 12.7-13 11.4-11.7
* Begin of governing between 530-550 mm WG by adding washers WMS 22 S 18...19 X under governor spring. During Control Rod Travel (Column 4-11) n = 500 r. p. m.										
<b>C. Adjustment of Injection Pump with Mounted Governor</b>										
0	1	2	3	4	5	6	7	8	9	
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop			
	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	Control Path from Full Load to Idling Load mm	
RS 14 z	1900	510	25.5-26.5	1000	150 0	26.5-28.5			** please see above	
				500		25.5-27.5				
				250	ap. 590		5-11			
deviation max. 1.5										
At full load setting (col. 3 and 6) individual measurements 1000 strokes All test values apply only for BOSCH Injection Test Stands.										

# Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 M 50 A 320 RS 14 RS 14 z (please turn over)	<b>with Governor</b> EP/MN 60 M 12 d M 13 d	<b>DAI Sheet</b> <b>1.9 h</b> dated: Feb. 15th 1962
--	---	---

## A. Adjustment Data of the Injection Pump

Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC) at Control Rod Travel 18

1	2	3	4	5	6
Speed r. p. m.	Control Rod Travel mm	Feed Quantity cm <sup>3</sup> /100 strokes	Differential cm <sup>3</sup> /100 strokes	Feed Quantity Drop (between 1000 and 200 r. p. m.) cm <sup>3</sup> /100 strokes	Pre-tension of Spring (Adaptation Valve) mm
1000	9	0.9-1.3	0.2		
	15	3 -3.5			
	18	3.8-4.4			
200	9	0.8-1.2			

Adjust delivery of equal quantities within outlined  limits

## B. Adjustment of Governor

1	2	3	4	5	6	7	8	9	10	11
Compensating Path mm	Tightness		Adjusting Point Control Rod Travel		Adjustment Supplementary Spring		Control Rod Travel Test		Compensation	
	Vacuum Drop mm Water Col.	Time red. sec.	Vacuum mm Water Col.	Control Path mm	Vacuum mm WC	Control Path mm	Vacuum mm Water Col.	Control Path mm	mm Water Col.	Control Path mm
1.2+0.1	500-480	10	-	-	-	-	435 465 500 570	13.7* 8.2-13.3 3.1-9.5 0-3.6	150 250 350	14.9-15 14.5-14.8 13.8-14.2

\* Begin of governing between 440-460 mm WG by adding washers WMS 22 S 18...19 X under governor spring.  
During Control Rod Travel Test (Column 4-11) n = 500 r. p. m.

## C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	Control Path from Full Load to Idling Load mm
RS 14	2000	430-435	33.5-34.5	1600 1000 250	300 100 ap. 480	32-34 32.5-34.5 5-11			** please turn over
deviation max. 1.5									

At full load setting (col. 3 and 6) individual measurements 1000 strokes  
All test values apply only for BOSCH Injection Test Stands.

**\*\* Adjustment of Idling Stop**

At 500 rpm and with governor stop cam disengaged set control rod to full load position by increasing WG to 430–435 mm (accurately) and measure control rod travel obtained. Increase control rod travel still further until control rod has adjusted to 3.5 mm less control rod travel than at full load position measured at 430–435 mm WG. In this position move stop cam slowly up to end position watching control rod during the process.

With spring cage correctly set the control rod should now adjust to a control rod travel  $2.0 \pm 0.5$ , with RS 14 z to  $2.0 \pm 0.5$  mm, resp., less than in full load position measured at 430–435 mm WG. If the adjusted value is higher or lower the position of the spring bolt in the spring cage should be changed by placing the required washers between the spring bolt collar and the lock washer.

**Attention please:** This change will also change the pre-tension in the spring cage. By placing washers between spring and spring bolt bottom end the pre-tension will be brought back to the specified value of 50–90 grams.

RS 14 z with .. M 12 d ... M 13 d Adjust delivery of equal quantities within outlined <input type="checkbox"/> limits										
<b>B. Adjustment of Governor</b>										
1	2	3	4	5	6	7	8	9	10	11
Compensating Path mm	Tightness		Adjusting Point Control Rod Travel		Adjustment Supplementary Spring		Control Rod Travel Test		Compensation	
	Vacuum Drop mm Water Col.	Time sec.	Vacuum mm Water Col.	Control Path mm	Vacuum mm WC	Control Path mm	Vacuum mm Water Col.	Control Path mm	Vacuum mm Water Col.	Control Path mm
1.2+0.1	500–480	10	–	—	–	–	430 465 500 575	12.8* 7.2–12 2.8–8.2 0–2.5	150 250 350 430	14.0–14.1 13.6–13.9 12.9–13.3 12.8
* Begin of governing between 440–460 mm WG by adding washers WMS 22 S 18 .. 19 X under governor spring. During Control Rod Travel (Column 4–11) n = 500 r. p. m.										
<b>C. Adjustment of Injection Pump with Mounted Governor</b>										
0	1	2	3	4	5	6	7	8	9	
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop			
	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	Control Path from Full Load to Idling Load mm	
RS 14 z	2000	430–435	30.5–31.5	1600	300	29–31			** please see above	
				1000	100	29.5–31.5				
				250	ap. 480	5–11				
deviation max. 1.5										
At full load setting (column 3 and 6) individual measurement 1000 strokes All test values apply only for BOSCH Injection Test Stands.										

## Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 M 50 A 320 RS 14 RS 14 z	<b>with Governor</b> EP/MN 60 M 14 d	<b>DAI Sheet</b> <b>1.9 i</b> dated: Jan. 19th 1962
--	---	---

### A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC) at Control Rod Travel 18**

1	2	3	4	5	6
Speed <small>r. p. m.</small>	Control Rod Travel <small>mm</small>	Feed Quantity <small>cm<sup>3</sup>/100 strokes</small>	Differential <small>cm<sup>3</sup>/100 strokes</small>	Feed Quantity Drop <small>(between 1000 and 200 r. p. m.) cm<sup>3</sup>/100 strokes</small>	Pre-tension of Spring <small>(Adaptation Valve) mm</small>
1000	9	0.9-1.3			
	15	3 -3.5	0.2		
	18	3.8-4.4			
200	9	0.8-1.2			
Adjust delivery of equal quantities within outlined <span style="border: 1px solid black; display: inline-block; width: 20px; height: 10px; vertical-align: middle;"></span> limits					

### B. Adjustment of Governor

1	2	3	4	5	6	7	8	9	10	11
Compensating Path <small>mm</small>	Tightness Vacuum drop <small>mm Water Col.</small>		Adjusting Point Control Rod Travel Vacuum <small>mm Water Col.</small>		Adjustment Supplementary Spring Vacuum <small>mm Water C.</small>		Control Rod Travel Test Vacuum <small>mm Water Col.</small>		Compensation Vacuum <small>mm Water Col.</small>	
	Time red. <small>sec.</small>	Control Path <small>mm</small>	Control Path <small>mm</small>	Control Path <small>mm</small>	Control Path <small>mm</small>	Control Path <small>mm</small>	Control Path <small>mm</small>	Control Path <small>mm</small>	Control Path <small>mm</small>	Control Path <small>mm</small>
2.6+0.1	500-480	10	-	-	-	-	405* 435 450 500	12.7-12.9 8-12 5-10 0-5.6	75 180 350	15.3-15.4 14.5-14.9 13-13.4

\* Begin of governing between 410-430 mm WG by adding washers WMS 22 S 18..19 X under governor spring.  
During Control Rod Travel Test (Column 4-11) n = 500 r. p. m.

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r. p. m.	Vacuum <small>mm Water Col.</small>	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum <small>mm Water Col.</small>	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum <small>mm Water Col.</small>	Control Path from Full Load to Idling Load <small>mm</small>
RS 14	1850	420	29.5-30.5	1400 800	300 95	29-31 32.5-34.5	-	** please turn over	
				250	ap. 450	5-11			
deviation max. 1.5									

At full load setting (column 3 and 6) individual measurement 1000 strokes  
All test values apply only for BOSCH Injection Test Stands.

**\*\* Adjustment of Idling Stop**

At 500 rpm and with governor stop cam disengaged set control rod to full load position by increasing WG to 405 mm (accurately) and measure control rod travel obtained. Increase control rod travel still further until control rod has adjusted to 3.0 mm less control rod travel than at full load position measured at 405 mm WG. In this position move stop cam slowly up to end position watching control rod during the process.

With spring cage correctly set the control rod should now adjust to a control rod travel  $2.0 \pm 0.5$  mm less than in full load position measured at 405 mm WG. If the adjusted value is higher or lower the position of the spring bolt in the spring cage should be changed by placing the required washers between the spring bolt collar and the lock washer.

**Attention please:** This change will also change the pre-tension in the spring cage. By placing washers between spring and spring bolt bottom end the pre-tension will be brought back to the specified value of 50–90 grams.

RS 14 z with ...M 14 d Adjust delivery of equal quantities within outlined <input type="checkbox"/> limits										
<b>B. Adjustment of Governor</b>										
1	2	3	4	5	6	7	8	9	10	11
Compensating Path mm	Tightness		Adjusting Point Control Rod Travel		Adjustment Supplementary Spring		Control Rod Travel Test		Compensation	
	Vacuum drop mm Water Col.	Time red. sec.	Vacuum mm Water Col.	Control Path mm	Vacuum mm Water C.	Control Path mm	Vacuum mm Water Col.	Control Path mm	Vacuum mm Water Col.	Control Path mm
2.6+0.1	500–480	10	–	–	–	–	405* 435 450 500	11.8–12 6.6–11.1 4–9.6 0–5.5	75 180 350	14.4–14.5 13.6–14.1 12–12.5
* Begin of governing between 410–430 mm WG by adding washers WMS 22 S 18...19 X under governor spring. During Control Rod Travel (Column 4–11) n = 500 r. p. m.										
<b>C. Adjustment of Injection Pump with Mounted Governor</b>										
0	1	2	3	4	5	6	7	8	9	
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop			
	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	Control Path from Full Load to Idling Load mm	
RS 14 z	1850	405	26.5–27.5	1400	300	26–28			** please see above	
				800	95	29.5–31.5				
				250	ap. 440	5–11				
				deviation max. 1.5						
At full load setting (column 3 and 6) individual measurement 1000 strokes All test values apply only for BOSCH Injection Test Stands.										

... Increase WG until control rod measure has set to 2.0 mm less control rod travel than at full load position and WG 405 mm.

... At the correct adjustment of spring cage the control rod travel should be  $1.1 \pm 0.5$  mm less.

## Test Specifications for Injection Pump and Governor

<b>Injection Pump</b> PES 4 M 50 A 320 RS 14 RS 14 z (please turn over)	<b>with Governor</b> EP/MN 60 M 15 d M 16 d	<b>DAI Sheet</b> <b>1.9 k</b>  dated: Jan. 19th 1962
--	---	---

### A. Adjustment Data of the Injection Pump

**Feed Begin at a Pre-stroke of 1.7+0.1 mm (from BDC) at Control Rod Travel 18**

1	2	3	4	5	6
Speed r. p. m.	Control Rod Travel mm	Feed Quantity cm <sup>3</sup> /100 strokes	Differential cm <sup>3</sup> /100 strokes	Feed Quantity Drop (between 1000 and 200 r. p. m.) cm <sup>3</sup> /100 strokes	Pre-tension of Spring (Adaptation Valve) mm
1000	9	0.9-1.3	0.2		
	15	3 -3.5			
	18	3.8-4.4			
200	9	0.8-1.2			

Adjust delivery of equal quantities within outlined  limits

### B. Adjustment of Governor

1	2	3	4	5	6	7	8	9	10	11	
Compensating Path mm	Tightness Vacuum drop mm Water Col.		Adjusting Point Control Rod Travel Vacuum mm Water Col.		Adjustment Supplementary Spring Vacuum mm Water Col.		Control Rod Travel Test Vacuum mm Water Col.		Compensation Vacuum mm Water Col.		
		Time red. sec.	Control Path mm	Control Path mm	Control Path mm	Control Path mm	Control Path mm	Control Path mm	Control Path mm	Control Path mm	
1.2+0.1	500-480		10	-	-	-	-	480* 525 560 625	13.7 7.7-13.3 2.7-9.2 0-4	150 275 375	14.9-15 14.5-14.9 13.9-14.2

\* Begin of governing between 500-520 mm WG by adding washers WMS 22 S 18..19 X under governor spring.  
During Control Rod Travel Test (Column 4-11) n = 500 r. p. m.

### C. Adjustment of Injection Pump with Mounted Governor

0	1	2	3	4	5	6	7	8	9
Injection Pump	Adjustment of Full-Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop		
	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum mm Water Col.	Control Path from Full Load to Idling Load mm
RS 14	2000	480	33.5-34.5	1600 1000	330 100	32-34 32.5-34.5			** please turn over
				250	ap. 540	5-11			
deviation max. 1.5									

At full load setting (column 3 and 6) individual measurement 1000 strokes  
All test values apply only for BOSCH Injection Test Stands.

**\*\* Adjustment of Idling Stop**

At 500 rpm and with governor stop cam disengaged set control rod to full load position by increasing WG to 480 mm (accurately) and measure control rod travel obtained. Increase control rod travel still further until control rod has adjusted to 3.5 mm less control rod travel than at full load position measured at 480 mm WG. In this position move stop cam slowly up to end position watching control rod during the process.

With spring cage correctly set the control rod should now adjust to a control rod travel  $2.7 \pm 0.5$  mm less than in full load position measured at 480 mm WG. If the adjusted value is higher or lower the position of the spring bolt in the spring cage should be changed by placing the required washers between the spring bolt collar and the lock washer.

**Attention please:** This change will also change the pre-tension in the spring cage. By placing washers between spring and spring bolt bottom end the pre-tension will be brought back to the specified value of 50–90 grams.

RS 14 z with . . M 15 d, . . M 16 d Adjust delivery of equal quantities within outlined <input type="checkbox"/> limits										
<b>B. Adjustment of Governor</b>										
1	2	3	4	5	6	7	8	9	10	11
Compensating Path mm	Tightness		Adjusting Point Control Rod Travel		Adjustment Supplementary Spring		Control Rod Travel Test		Compensation	
	Vacuum drop mm Water Col.	Time red. sec.	Vacuum mm Water Col.	Control Path mm	Vacuum mm WC	Control Path mm	Vacuum mm Water Col.	Control Path mm	Vacuum mm Water Col.	Control Path mm
1.2+0.1	500-480	10	-	-	-	-	500* 525 550 625	12.8 7.5-12.5 3.6-9.5 0-3.4	150 225 375 480	14-14.1 13.8-14.1 13-13.3 12.8
* Begin of governing between 500-525 mm WG by adding washers WMS 22 S 18..19 X under governor spring. During Control Rod Travel (Column 4-11) n = 500 r. p. m.										
<b>C. Adjustment of Injection Pump with Mounted Governor</b>										
0	1	2	3	4	5	6	7	8	9	
Injection Pump	Adjustment of Full Load Stop Screw			Testing of Feed Quantity Characteristics			Adjustment of Idling Stop			
	r. p. m.	Vacuum Water Col. mm	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum Water Col. mm	cm <sup>3</sup> /1000 strokes	r. p. m.	Vacuum Water Col. mm	Control Path from Full Load to Idling Load mm	
RS 14 z	2000	480	30.5-31.5	1600	300	29-31			** please see above	
				1000	100	29.5-31.5				
				250	ap. 540	5-11				
deviation max. 1.5										
At full load setting (column 3 and 6) individual measurement 1000 strokes All test values apply only for BOSCH Injection Test Stands.										

... Increase WG until control rod measure has set to 3.0 mm less control rod travel than at full load position and WG 480 mm.

... At the correct adjustment of spring cage the control rod travel should be  $2.0 \pm 0.5$  mm less.