



Table 29

## FUEL TANK

Group 47

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
		<u>FUEL TANK</u>		
1	120 470 20 01	Fuel tank (approx. 56 ltrs.)	1	
2	120 542 05 04	Special transmitter with contact connection for reserve indication	1	
3	186 471 01 80	Gasket	1	)
4	-	Lock washer B 5 DIN 137	5	)for filling
5	-	Hex. nut M 5 DIN 934-5 S	5	)apparatus at
6	120 471 04 20	Intermediate fitting	1	)fuel tank
7	-	Sealing ring A 20x26 DIN 7603 A1	1	)
8	120 470 01 86	Screw plug (for fuel tank, bottom)	1	)for fuel line
9	-	Sealing ring A 26x34 DIN 7603 A1	1	)connection
10	120 997 13 82	Rubber hose (for venting line)	1	)
11	120 997 11 82	Rubber hose (for bleeding line)	1	)
12	-	Hose clamp WSN 5 N 262	1	
13	-	Hose strap 5x0, 35x200 lg. N 263	1	state length when ordering
14	120 997 01 30	Screw plug	1	)for locking
15	-	Sealing ring A 20x26 DIN 7603 A1	1	)return flow )line connection

Table 29

## FUEL TANK

Group 47

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
16	120 471 00 22	Reinforcement plate	3	)
17	-	Washer 8, 4 DIN 125	3	)
18	-	Lock washer B 8 DIN 137	3	) for fuel tank mounting
19	-	Hex. nut M 8 DIN 934-5 S	3	)
20	120 470 01 21	Elongation (for fuel filling nipple)	1	
21	120 997 00 82	Rubber hose	1	
-	-	Hose clamp WSN 9 N 262	2	) for elongation
-	-	Hose strap 9x0, 4x350 lg. N 263 (state length when ordering)	2	) at fuel filling nipple
22	184 476 00 26	Rubber hose	1	)
-	-	Hose clamp WSN 5 N 262	2	) for bleeding
-	-	Hose strap 5x0, 35x200 lg. N 263 (state length when ordering)	1	) line at elongation of filling nipple
23	120 471 23 15	Venting line	1	)
24	120 470 03 25	Bleeding line	1	-
25	-	Hose clamp WSN 5 N 262	1	) for bleeding
26	-	Hose strap 5x0, 35x200 lg. N 263 (state length when ordering)	1	) line at fuel hose
27	-	Lock washer B 5 DIN 127	1	) for bleeding
28	-	Hex. -hd. screw M 5x10 DIN 933-8 G	1	) line at bottom, rear

Table 29

## FUEL TANK

Group 47

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
29	-	Washer 5, 3 DIN 125 (for bleeding line at bottom, rear)	1	
30	-	Hose clamp WSN 5 N 262	1	)for venting line at bleed- ing line
31	-	Hose strap 5x0, 35x200 lg. N 263 (state length when ordering)	1	
33	120 471 03 81	Sleeve, upper part	1	
34	120 471 04 81	Sleeve, lower part	1	)for fuel tank filling elongation through rear mudguard
35	120 471 02 81	Sleeve	1	
36	120 471 06 35	Strainer (in sleeve for venting tube)	1	
-	-	Hose clamp WSN 5 N 262	1	)for venting line at recess, rear mudguard
-	-	Hose strap 5x0, 35x110 lg. N 263 (state length when ordering)	1	
37	136 501 00 54	Screwed cover (for fuel filling nipple)	1	
38	191 997 00 40	Sealing ring (for screwed cover)	1	
		<u>FUEL FILTER</u>		
40	000 477 55 01	Fuel filter	1	optional with 000 477 56 01
41	000 477 19 80	Gasket	1	
42	000 477 37 15	Filter element	1	