

Table 39

DRIVER'S DOOR




Table 39

DRIVER'S DOOR

Group 72

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
-	10 121 720 01 02	Driver's door, left) with window and fittings,) however, with-) out door lining	1	
1	10 121 720 02 02	Driver's door, right) and without sealing frame, outside	1	
-	10 180 720 03 05	Driver's door, shell, left	1)) with hinge
2	10 180 720 04 05	Driver's door, shell, right	1)
-	10 120 720 01 43	Door brake with threaded plate (for driver's door, left)	1	
3	10 120 720 02 43	Door brake with threaded plate (for driver's door, right)	1	
-	10 120 720 01 37	Hinge, top, left	1	
4	10 120 720 02 37	Hinge, top, right	1	
-	10 120 723 01 41	Hinge plate, front, left	1)) at front wall
5	10 120 723 02 41	Hinge plate, front, right	1)
-	10 120 723 01 42	Hinge plate, rear, left	1)) at door
6	10 120 723 02 42	Hinge plate, rear, right	1)
7	10 120 723 00 82	Washer	4	
8	10 120 723 00 52	Hinge pin	2	
9	000 997 04 88	Grease fitting	2	
-	-	Countersunk screw AM 8x20 DIN 7987 (for hinge, top at driver's door)	8	

10/024

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
-	10 120 720 01 38	Hinge, bottom, left	1	
10	10 120 720 02 38	Hinge, bottom, right	1	
-	10 120 723 01 44	Hinge plate, front, left	1)at front wall
11	10 120 723 02 44	Hinge plate, front, right	1	
-	10 120 723 01 45	Hinge plate, rear, left	1	
12	10 120 723 02 45	Hinge plate, rear, right	1	
13	10 120 723 00 82	Washer	4	
14	10 120 723 00 52	Hinge pin	2	
15	000 997 04 88	Grease fitting	2	
-	-	Countersunk screw AM 8x20 DIN 7987 (for hinge, bottom at driver's door)	8	
-	10 180 720 19 35	Door lock, left (without locking rod) (for left driver's door)	1	
16	10 180 720 22 35	Door lock, right (for right driver's door)	1	
-	10 180 720 05 35	Door lock, left	1	
17	10 180 730 08 35	Door lock, right	1	
18	10 180 723 00 56	Torsion spring (at locking lever, bottom)	1	

Table 39

DRIVER'S DOOR

Group 72

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
19	10 180 723 02 56	Torsion spring, right (at locking lever, top)	1	
20	10 180 723 00 78	Cup (for seating striker pin)	2	
21	000 766 00 35	Cap on plug	2	
22	10 180 720 04 92	Pull rod	2	
23	120 987 01 37	Linkage guide (rubber)	4	
24	10 180 723 00 55	Locking spring	4	
25	10 180 720 00 93	Locking rod	1	
26	10 180 723 00 55	Locking spring	1	
27	10 120 723 01 24	Cover plate (between lock and door lining)	2	
28	000 990 27 91	Cage clamp with spring stop nut	8)
-	-	Countersunk screw AM 6x15 DIN 7987	4)for door lock)at interior)panel
-	-	Lens-hd. countersunk screw AM 6x15 DIN 7988	4))
29	10 120 766 02 58	Button (for door lock)	1	
30	000 997 42 81	Grommet (for leading through door lock)	1	

10/024

Table 39

DRIVER'S DOOR

Group 72

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
31	10 180 766 03 01	Door handle, lockable (for left driver's door)	1	
32	10 180 766 01 27	Handle, cast part (without push button and without cylindr. lock) (for left driver's door)	1	
33	10 120 766 01 15	Fixing pin at handle, front	1	
34	10 180 766 03 26	Push button with cylindr. lock	1	
35	10 180 766 01 31	Button base with hex. nut	1	
36	10 180 766 00 99	Ring	1)
37	10 180 766 00 29	Pressure spring, outside	1)for push button)in handle,
38	10 180 766 01 99	Grooved ring (spacer ring)	1)cast part)
39	10 180 766 00 22	Square snap ring	1)
-	-	Toothed washer J 6, 4 DIN 6797	1	
40	000 766 03 06	Key for door, trunk compartment and lid(rear mudguard)	2	
41	10 180 766 04 02	Door handle, right, not lockable (for right driver's door)	1	
42	10 180 766 02 27	Handle, cast part (without push button) (for right driver's door)	1	
43	10 120 766 01 15	Fixing pin (at handle, front)	1	

Table 39

DRIVER'S DOOR

Group 72

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
44	10 180 766 04 26	Push button	1	
45	10 180 766 01 31	Button base with hex. nut	1	
46	10 180 766 00 99	Ring	1)
47	10 180 766 00 29	Pressure spring, outside	1)for push button
48	10 180 766 01 99	Grooved ring (spacer ring)	1)in handle,)cast part
49	10 180 766 00 22	Square snap ring	1)
-	-	Toothed washer J 6, 4 DIN 6797	1	
50	000 990 01 48	Lock washer	2)
-	-	Lens-hd. screw AM 6x15 DIN 7985	2)
51	10 120 766 00 05	Rubber pad (for door handle, left and right, front)	2))for door handle)at door, outside
52	10 120 766 03 05	Rubber pad (under door handle, left, rear)	1)
53	10 120 766 04 05	Rubber pad (under door handle, right, rear)	1)
-	10 180 760 01 61	Inner handle, left (for left driver's door)	1	
54	10 180 760 02 61	Inner handle, right (for right driver's door)	1	
56	10 180 766 00 15	Pin (for handle lever at mounting plate)	2	
-	-	Lens-hd. screw AM 6x15 DIN 7985 (for inner handle at driver's door interior panel)	6	

10/024

Table 39

DRIVER'S DOOR

Group 72

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
-	-	Toothed washer A 6,4 DIN 6797	6)for inner handle
57	000 984 17 55	Washer	6)at driver's door,)interior panel
58	10 180 760 00 81	Rosette (for inner handle)	2	
59	10 120 720 03 16	Door arrester	2	
60	10 120 720 04 16	Door arrester	2	
61	000 987 41 40	Rubber buffer	2	
62	120 991 05 05	Door arresting pin	2) for door arrester
-	-	Cotter pin 1, 5x10 DIN 94	2) at hinge, top
-	-	Lock washer B 5 DIN 137	2) front wall pillar
-	10 180 725 03 55	Window frame (for driver's door, left)	1	
65	10 180 725 04 55	Window frame (for driver's door, right)	1	
66	000 988 32 78	Fixing clamp	6)
-	-	Countersunk screw S 2, 9x6, 5 DIN 7982	14)for window)frame at door
-	10 180 720 01 55	Deflector window, left	1)
67	10 180 720 02 55	Deflector window, right	1	
-	10 180 720 01 14	Fixing frame (for deflector window, left)	1)
68	10 180 720 02 14	Fixing frame (for deflector window, right)	1) for rubber)frame

Table 39

DRIVER'S DOOR

Group 72

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
69	10 180 725 03 48	Stop, chromium-plated (for latch)	2	
-	10 180 725 09 24	Sealing frame (for deflector window, left)	1)for fixing)frame)
70	10 180 725 10 24	Sealing frame (for deflector window, right)	1	
-	10 180 720 03 55	Deflector window, left	1	
71	10 180 720 04 55	Deflector window, right	1)without fixing)and sealing)frame with)latch
-	10 180 720 05 55	Deflector window, left	1)
72	10 180 720 06 55	Deflector window, right	1)without latch)
-	10 180 725 03 79	Latch (for deflector window, left)	1	
73	10 180 725 04 79	Latch (for deflector window, right)	1	
74	10 180 725 01 62	Shaft	2)
75	000 990 02 48	Lock washer	2)for latch at)window frame)
-	-	Grooved pin 2x14 DIN 1472	2	
-	10 180 725 03 82	Support, bottom, left	1	
76	10 180 725 04 82	Support, bottom, right	1	
77	136 990 13 40	Shim	8)for support)at fixing frame.
78	000 990 14 33	Square-hd. screw	4)bottom

10/024

Table 39

DRIVER'S DOOR

Group 72

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
-	-	Washer A 5 DIN 9021	4)
-	-	Lock washer B 5 DIN 137	4)for support
-	-	Hex. nut M 5 DIN 934-5 S	4)at fixing frame,
-	-)bottom
-	10 180 725 03 80	Support, top, left	1)
79	10 180 725 04 80	Support, top, right	1	
-	-	Countersunk screw AM 4x6 DIN 7987 (for support, top, at fixing frame)	4	
80	000 990 01 48	Lock washer	8)for deflector
81	000 984 25 56	Washer	2)window at
-	-	Hex. nut M 6 DIN 934-5 S	4)support, bottom
82	10 180 725 00 18	Threaded plate	2)
-	-	Lens-hd. countersunk screw AM 5x8 DIN 7988	2)
83	10 180 725 00 84	Shim	a.r.)for deflector
-	-	Countersunk screw AM 5x10 DIN 7987	4)window at
-	10 180 720 03 17	Window guide rail, left	1)driver's door
84	10 180 720 04 17	Window guide rail, right	1)
-	-	Lens-hd. screw AM 6x12 DIN 7985 (for window guide rail at strut)	4)hinge side

Table 39

DRIVER'S DOOR

Group 7 2

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
-	-	Toothed washer A 6,4 DIN 6797	4)for window
-	-	Washer A 6 DIN 9021	4)guide rail)at strut
85	000 985 07 30	Window guide rail, flexible 2000 mm long	2	state length when ordering
86	000 988 24 78	Fixing clamp (for window guide rail at driver's door)	8	
-	10 120 725 01 72	Sealing brush, left	1)for driver's
87	10 120 725 02 72	Sealing brush, right	1)door, lock)side
88	12 136 727 01 90	Damping (bitumen, cork felt cardboard)	2	
89	000 983 22 92	Intermediate layer (waffle felt)	10	state length and width when ordering
90	10 180 725 01 65	Seal, crank window outside, left and inside, right	2	
91	10 180 725 02 65	Seal, crank window outside, right and inside, left	2	
92	000 988 31 78	Fixing clamp (for seal at driver's door)	6	
-	10 180 725 03 02	Window lifter (for driver's door, left) (by Messrs. Brose)	1))optional with)10 180 725 05 02)and
93	10 180 725 04 02	Window lifter (for driver's door, right) (by Messrs. Brose)	1)10 180 725 06 02))

10/024

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
-	10 180 725 05 02	Window lifter (for driver's door, left) (by Messrs. Keiper)	1)) optional with) 10 180 725 03 02) and) 10 180 725 04 02)
-	10 180 725 06 02	Window lifter (for driver's door, right) (by Messrs. Keiper)	1)))
94	120 984 01 37	Sliding jaw	4)
95	000 984 24 56	Washer	2) for window) lifting rail at) window lifter
96	000 990 05 48	Lock washer	2))
-	-	Locking plate 7 DIN 6799	2)
-	-	Lens-hd. screw AM 6x10 DIN 7985	8)) for window) lifter at interior) panel
97	000 994 05 10	Washer	8)
-	-	Lock washer B 6 DIN 127	8)
98	10 120 768 02 02	Window crank	2	
99	12 136 768 00 03	Rosette for crank	2	
100	12 136 768 00 15	Pin for crank	2	
101	10 180 720 03 45	Window lifting rail	2	
-	10 180 720 01 18	Crank window (for left driver's door)	1	
102	10 180 720 02 18	Crank window (for right driver's door)	1	
103	10 180 725 01 10	Glass pane	2	

Table 39

DRIVER'S DOOR

Group 72

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
104	10 120 725 00 80	Rubber mounting	4	
-	000 983 06 10	Underlayer (felt, gray) 25x2x220 mm long	a.r.	state length when ordering
-	-	Lens-hd. screw AM 6x18 DIN 7985	4) for glass pane) at window
-	-	Toothed washer A 6,4 DIN 6797	4	(lifting rail)
-	10 120 720 09 51	Window moulding (for driver's door, left)	1	
105	10 120 720 10 51	Window moulding (for driver's door, right)	1	
-	-	Lens-hd. screw S 3, 5x13 DIN 7981	14) for window) moulding at) driver's door
106	000 987 29 41	Rubber plate	14)
-	10 180 720 03 80	Ornamental moulding (at board edge, left)	1	
110	10 180 720 04 80	Ornamental moulding (at board edge, right)	1	
111	000 988 59 78	Clip	10)
-	-	Button-hd. screw AM 4x8 DIN 7986	4) for ornamental) moulding at) board edge
-	-	Lock washer A 4 DIN 137	4)
112	10 120 720 00 81	Ornamental moulding (at driver's door, bottom)	2	

Table 39

DRIVER'S DOOR

Group 72

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
113	000 988 59 78	Clip (for ornamental moulding at driver's door, bottom)	14	
-	-	Countersunk screw AM 8x20 DIN 7987 (for driver's door at front wall pillar, top and bottom)	16	
-	10 180 720 07 04	Striker pin, left	1	
120	10 180 720 08 04	Striker pin, right	1	
121	10 180 723 02 99	Adjusting ring	2	
122	10 180 723 00 96	Rubber core	2	
123	10 180 723 00 76	Washer	2	
-	-	Lens-hd. countersunk screw AM 5x15 DIN 7988	2	
-	-	Washer V 5, 3 DIN 6798	2	
-	-	Countersunk screw AM 6x15 DIN 7987	8)	
124	10 120 723 02 05	Shim)	a.r.)	for striker pin
-	10 120 723 03 05	Shim) optional	a.r.)	at center pillar
-	10 120 723 04 05	Shim)	a.r.)	
-	10 120 720 01 78	Seal (for driver's door, left)	1	
125	10 120 720 02 78	Seal (for driver's door, right)	1	

Table 39

DRIVER'S DOOR

Group 72

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
126	000 988 51 78	Fixing clamp (for seal at driver's door)	2	
-	10 120 727 01 93	Draft excluder, front, left	1)state colour)and body No.)when ordering
127	10 120 727 02 93	Draft excluder, front, right	1	
-	-	Nails A 14 x 10 N 46	10)for draft ex-)cluder at front)wall and roof)frame
-	-	Countersunk screw Z 2, 9x9, 5 DIN 7982	2	
-	000 985 05 62	Countersunk washer, chrom. -plated	2	
-	10 121 720 01 70	Door lining (for driver's door, left)	1)state colour)and body No.)when ordering
128	10 121 720 02 70	Door lining (for driver's door, right)	1	
-	10 121 720 01 73	Reinforcement, left	1	
129	10 121 720 02 73	Reinforcement, right	1	
130	136 984 01 60	Clip, lower part (for fixing door lining)	22	
131	10 121 727 01 82	Ornamental moulding, interior top (at door lining of driver's door)	2	
132	000 988 41 78	Clip	14)for ornamental)moulding,)interior, top)at door lining
-	-	Washer A 3 DIN 9021	4	
133	10 121 727 02 82	Ornamental moulding, interior top (at door lining of driver's door)	2	

10/024

Table 39

DRIVER'S DOOR

Group 72

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
134	000 988 41 78	Clip	16)for ornamental)moulding,) interior, bottom) at door lining
-	-	Washer A 3 DIN 9021	4	
135	000 988 61 78	Clip, upper part (for fixing door lining)	22	
-	000 988 44 78	Fixing clamp 10 x 1, 5	60)))for cover at) reinforcement
136	000 988 37 78	Fixing clamp 10 x 2, 5	35	
-	-	Lens-hd. countersunk screw S 2, 9x13 DIN 7983 chromium-plated	2)))for door) lining at) driver's door
137	000 985 05 62	Countersunk washer	2	